



G A S A P P L I A N C E S 2 0 1 8 / 1 9

Exquisite fires for elegant homes

Contents



4-5
Some things you
need to know



6-7
Function and
Performance



8-9
HE900 (Avellino)
Glass fronted HE Suite
For standard and precast flues



10-11
HE900 (Dawin Suite)
Glass fronted HE Suite
For standard and precast flues



12-13
HE950L (Seville Suite)
Landscape Glass fronted HE Suite
For standard and precast flues



14-15
HE950L (Palma)
Landscape Glass fronted HE Suite
For standard and precast flues



16-17
Panama
Glass fronted Widescreen HE



18-19
Cressida
Glass fronted Full depth HE



20-21
Pesaro
Glass fronted mid-depth HE
Suitable for precast flues



22-23
Thermes
Balanced Flue



24-25
Cavello
Convactor full depth open fronted



26-27
Montese (Cadiz Suite)
Radiant full depth open fronted



28-29
Ceralis (Salerno Suite)
Radiant slimline open fronted



30-31
Ellipsis
*A range of options featuring
the Ellipsis trim*



32-33
Ellipsis HIW
Hole in the wall gas fires



34-35
Trim Options &
Technical Information



Exquisite fires for elegant homes

Wildfire are a multi award winning gas appliance manufacturer and are proud to announce the HE950L Seville Suite was voted ‘Product of the Year’ at the 2018 Hearth and Home exhibition. Wildfire are dedicated to the design and manufacture of innovative and attractive fireplaces for British homes. At Wildfire we are committed to providing the highest quality heating products with a proven performance. Our innovative range of gas appliances have been tested to comply with the latest European standards and are manufactured in an ISO certified factory.

“ We guarantee* our products for a period of 5 years from installation and our customer service staff are always on hand to help you with any query you may have with your product. ”

Our 5 year limited guarantee* is managed directly by Wildfire through our extensive network of service centres throughout the UK. Choose Wildfire for style, performance, reliability, value and peace of mind.

The Wildfire product range includes many products which have been designed and approved with efficiency at their core. In a world where energy costs have soared we believe it is important to obtain the absolute maximum from your heating appliance. With this in mind the net efficiency of Wildfire open fronted gas fires are up to 62% and the glass fronted fires up to 87.2%. So when you purchase a Wildfire heating product you can be confident that you will be installing a product that will deliver in all installation scenarios. Here at Wildfire we are devoted to innovative design whilst maintaining maximum functionality. All Wildfire slide control products feature the latest patent pending Direct Slide technology.

Wildfire is the premier gas appliance brand from Hearth Products Limited. Hearth Products has been actively involved in design and technology for the fireplace industry across the globe since 2003. Our technologies’ have been used in products across Europe, Australia and North America.

*see full terms of conditions of the warranty on our website at www.wildfiregas.co.uk

Some things you need to know

Do I need a Convector or a Radiant Fire?

It is important to know the difference between Radiant heat and Convected heat.

Radiant heat. In short, Radiant heat is emitted from all Wildfire appliances. This type of heat is actually infrared and heats objects in the room. Radiant heat is considered to be the most comfortable and natural form of heat.

Convected heat warms the air in the room. By passing the cooler air which enters the appliance at the bottom, through a heat exchanger, it warms up, then emits the hotter air back into the room from the top of the appliance.

Do I need a Glass Fronted Gas Fire?

A glass fronted fire will be more efficient and therefore more cost effective to run. Glass fronted appliances are generally more expensive to buy

In general terms, it is usually more cost effective to purchase a glass fronted appliance if it is to be used more regularly as the efficiency savings will provide a quicker payback for the more expensive appliance. It is also important to remember that a glass fronted appliance will normally provide a similar amount of heat to an open fronted appliance, however, as it is more efficient, it is cheaper to run.




Brick Chimney



Pre-Fabricated



Pre-Cast



Balanced Flue

What type of flue do I have?

You will need to know what type of flue you have in your home. You will see these icons on each product page which will show if the appliance is suitable for your property. It may be that you have a Brick Chimney (otherwise known as a Class 1 flue), a Pre-Fabricated Metal System (which can be a Class 1 or Class 2 flue) or a Pre-Cast Flue (a flue which is built into the inner brickwork of your home). If you do not have a chimney or flue system in your home then you will need to look for a balanced flue gas fire which, if you already have a balanced flue gas fire in the property, is usually indicated by a flue terminal concealed within a basket on the outside of the property.



Manual Control



Slide Control



Manual Electronic Control

What control options are available?

All Wildfire products are available with a Direct Slide option giving you the ease of reliable and simple operation. The slide is operated from the top right side of the appliance and provides ignition, flame control and turns the fire off when you're finished. Most of the Wildfire range is available in manual control too — these fires have a removable cover at the base of the fire where the rotary control and igniter are situated.

Wildfire are also now introducing the manual electronic ignition to make the manual control range even easier to use.



Natural Gas

What type of gas do I need?

Wildfire appliances are currently only available for natural gas.

Function & Performance

O.D.S

The Oxygen Depletion Sensor will automatically shut off the gas supply to the burner if the oxygen level in the room falls below a particular level. This is important as it will turn off the appliance should the flue become blocked or a lack of ventilation occurs.

F.S.D

The Flame Supervision Device is designed to sense the presence of a flame. Should the flame be extinguished for any reason then the safety device will cut off the supply of gas to the burner.

Optional Ezi-Grip Handle



Most Wildfire appliances can be fitted with an elderly/ infirm handle to ease the lighting operation. This larger handle is much easier to access and move so if you think that this may be a requirement then talk to your retailer who will demonstrate the Ezi-Grip system. This handle is purchased as an accessory and is fitted at the point of installation of the appliance.



The Wildfire range is proud to now include a range of glass fronted high efficiency gas fires. These products feature the latest technology in high output gas fires and deliver the most effective way of heating your living room. The range includes both mid-depth convector and full depth convector products, both available with Direct Slide Technology. The Cressida (full depth) appliance can also be installed into a hole in the wall by fitting the designer Ellipsis HIW trim (See pages 31 and 32). The balanced flue gas fire is also a high efficient appliance, for a no chimney solution, the Thermes delivers heat, value for money, efficiency and is available with a large range of trim options.



Open fronted appliances are designed to operate with the revolutionary XE system which is only available from Hearth Products. This new efficiency system is designed to 'tune' the appliance to your fireplace flue, thereby ensuring you obtain the maximum output from the appliance.



Regulations demand that gas fires must be installed by a Registered Gas Safe Engineer. For further information regarding Gas Safe requirements contact Wildfire directly, where we will be happy to give you advice. Warranty will be void if the appliance is not fitted in accordance to these legal requirements.

HE 900 (Avellino Suite)

HE

Shown as standard version. Also available for Precast Flue.

83%
EFFICIENCY

FLUE OPTIONS



Brick
Chimney



Pre-
Fabricated



*Pre-Cast

*When ordered as PCF model

CONTROL



Slide

FUEL BED




Log

FUEL



Natural Gas

STANDARD MANTEL FINISH OPTIONS



White



Grey


Available with grey
inner border - see
similar detail on
the Seville Suite -
page 12.

The HE900 is the flagship model from Wildfire, the ultimate in fireplace technology.


The HE900 gas fire is revolutionary. It has been developed to create a European format appliance with expansive viewing glass that can be installed into a conventional 16" x 22" fireplace opening without any modification, or precast flue where the PCF version is ordered. This patent pending product is designed to fit UK fireplace openings with no need to alter the fabric of the building.

The HE900 features a stunning log and ember bed easily controlled with a slide operating system which comes as standard. Finally, the ultimate fireplace solution has arrived...

DIMENSIONS



MANTEL DIMENSIONS



GAS CONSUMPTION

Heat Input (High)

6.75kW

Heat Input (Low)

3kW

Heat Output (High)

5.1kW

Heat Output (Low)

2.1kW

ENERGY EFFICIENCY CLASS D

HE 900 (Dawin Suite)

HE

The HE900 (Precast Flue) featured in the Dawin Suite (PCF) in Manila. Also available as Standard model.

83%
EFFICIENCY

FLUE OPTION



Brick
Chimney



Pre-
Fabricated



*Pre-Cast
*When ordered as PCF model



Slide



Log



Natural Gas

CONTROL


FUEL BED

FUEL

STANDARD MANTEL FINISH OPTIONS



Manila



White


The HE900 is available with the Dawin Suite, shown here as a PCF version is a stylish solution for homes with precast flue systems.

No longer are you restricted to choosing a narrow slimline fire for your precast flue. After years of development, innovation and patent applications the precast gas fire market has changed.

Ask your retailer to demonstrate this wonderful appliance, with its clean European styling, stunning log and flame ensemble with easy slide for ignition and control, nothing compares.


The Dawin suite completes this inspirational fireplace the warmest and most welcome addition to your living room. Experience the future with the HE900PCF...

DIMENSIONS



- A) 659mm
- B) 640mm
- C) 740mm
- D) 217mm
- E) 56mm
- F) 553mm

MANTEL DIMENSIONS



- A) 1220mm
- B) 1143mm
- C) 1024mm
- D) 65mm
- E) 663mm
- F) 1220mm
- G) 744mm
- H) 235mm
- I) 381mm
- J) 220mm (PCF)
165mm (STD)

GAS CONSUMPTION

Heat Input (High)

6.75kW

Heat Input (Low)

3kW

Heat Output (High)

5.1kW

Heat Output (Low)

2.1kW

ENERGY EFFICIENCY CLASS D

HE 950L (Seville Suite)




**HEARTH
& Home**
EXHIBITION

AWARDS 2018 WINNER

The new HE950L (STD & PCF) is the perfect appliance to bring your fireplace to life.


Just like the HE900, its predecessor, this fire fits into your standard 16" x 22" builders opening, or precast flue if the PCF version is ordered. No building work, lintels, mess or costly installation. The fabric of your home will remain intact but you will benefit from a landscape large format gas fire with beautifully crafted logs and colourful dancing flames. Ask your retailer for the different fireplace design options available with the HE950L, they will be able to deliver a suite to compliment the style of your living room.

DIMENSIONS



- A) 800mm
- B) 520mm
- C) 620mm
- D) 162mm
- E) 111mm
- F) 553mm

MANTEL DIMENSIONS



- A) 1320mm
- B) 1320mm
- C) 967mm
- D) 400mm
- E) 235mm (Standard)
- E) 290mm (PCF)
- F) 165mm (Standard)
- F) 220mm (PCF)
- G) 803mm
- H) 624mm

HE

Shown as standard version. Also available for Precast Flue.

75%
EFFICIENCY

FLUE OPTIONS



Brick
Chimney



Pre-
Fabricated



*Pre-Cast
*When ordered as PCF model



Slide



Log



Natural Gas

CONTROL

FUEL BED

FUEL

STANDARD MANTEL FINISH OPTIONS



White



Grey

Seville Suite
available with
or without Grey
inner border.

GAS CONSUMPTION

Heat Input (High)

6.9kW

Heat Input (Low)

3kW

Heat Output (High)

4.6kW

Heat Output (Low)

1.9kW

ENERGY EFFICIENCY CLASS D

HE 950L (Palma Suite)



Shown as standard version. Also available for Precast Flue.



FLUE OPTION



Brick Chimney



Pre-Fabricated



Pre-Cast

*When ordered as PCF model

CONTROL



Slide

FUEL BED



Log

FUEL




Natural Gas

STANDARD MANTEL FINISH OPTIONS



Manila




White

The new HE950L (STD & PCF) delivers the same benefits as the standard model but can be installed into any precast flue.


For too many years the gas fire options to customers who have precast flues have been extremely limited. Patent pending technology enables this product to work in these very small flues. This fire features a full width realistic log fuel bed with rolling flames guaranteed to captivate and mesmerise the most discerning home owner. Classic elegance...in a precast flue.

DIMENSIONS





- A) 800mm
- B) 520mm
- C) 620mm
- D) 217mm
- E) 56mm
- F) 553mm

MANTEL DIMENSIONS



- A) 1320mm
- B) 1320mm
- C) 947mm
- D) 400mm
- E) 225mm (Standard)
- E) 280mm (PCF)
- F) 165mm (Standard)
- F) 220mm (PCF)
- G) 803mm
- H) 624mm

GAS CONSUMPTION



ENERGY EFFICIENCY CLASS D

HE

Panama shown with Creative Contemporary Chrome/Black trim.

This fire requires a fireplace suite with a 3" rebate and a back panel opening of a specific size. Talk to your retailer for full details.

87%
EFFICIENCY

FLUE OPTIONS



Brick Chimney



Pre-Fabricated

CONTROL



Slide

FUEL BED




Log

FUEL



Natural Gas

SLIDE LEVER OPTIONS



Brass



Chrome




Black Nickel



Black

CREATIVE TRIM OPTIONS



Brass/Black



Satin/Black



Chrome/Black

Bl.Nickel/
Black

Black

GAS CONSUMPTION

Heat Input (High)

5.3kW

Heat Input (Low)

2.7kW

Heat Output (High)

4.3kW

Heat Output (Low)


1.8kW

ENERGY EFFICIENCY CLASS C

The Panama log fire is a revolutionary product.


This wide format glass fronted gas appliance has the appeal of a European fire but the benefit of fitting into a standard 16" x 22" chimney breast opening. Normally an appliance of this stature would require building work and installation of a new lintel. The Panama has a patent pending installation system which, in conjunction with your new fireplace will provide a much more cost effective solution for this type of product. Talk to your dealer for full details. The Panama comes in slide control as standard.

DIMENSIONS



- | | |
|----------------|----------------------------------|
| A) 614mm | Trim Width |
| B) 611mm | Trim Height |
| C) 560mm-580mm | Back Panel Opening Width |
| D) 585mm-600mm | Back Panel Opening Height |
| E) 76mm | Mantel Rebate |
| F) 406mm | Fire Width at Builders Opening |
| G) 565mm | Fire Height at Builders Opening |
| H) 117mm | Fire Depth into Builders Opening |

MANTEL DIMENSIONS



- | |
|-----------|
| A) 1270mm |
| B) 1190mm |
| C) 1000mm |
| D) 65mm |
| E) 570mm |
| F) 1270mm |
| G) 590mm |
| H) 210mm |
| I) 400mm |
| J) 75mm |

Cressida HE

HE

Cressida HE shown with Creative Contemporary Satin/Black trim.



87%
EFFICIENCY


The Cressida HE is a high efficiency glass fronted appliance suitable for Class 1 and Class 2 flues.

The most powerful gas fire in the Wildfire range, with its deep bed and powerful output this appliance provides the ultimate in performance and style.


The flagship Cressida HE is supplied in either manual or slide control. The slide control features the latest patent pending Direct Slide technology.

Remember, once you have chosen your appliance, you can decide how it looks by selecting trim and fret options. See the trim options below and in more detail on page 34.

DIMENSIONS




SLIDE LEVER OPTIONS



GAS CONSUMPTION

Heat Input (High)	5.3kW	Heat Output (High)	4.2kW
Heat Input (Low)	2.9kW	Heat Output (Low)	2.15kW
ENERGY EFFICIENCY CLASS C			

FLUE OPTIONS



CONTROLS




FUEL BED



FUEL




STANDARD TRIM OPTIONS




Front bars are optional. For more details see page 34

CREATIVE TRIM OPTIONS



PROFILE TRIM OPTIONS



Pesaro HE

HE

Pesaro HE shown with Chrome Contemporary trim.




84%
EFFICIENCY

The Pesaro HE is a high efficiency glass fronted appliance suitable for Precast, Class 1 and Class 2 flues.


When the most important factor is heat, then the Pesaro mid-depth high efficiency gas fire will deliver. The fire can be fitted with an additional spacer to reduce the effective depth of the appliance.

The Pesaro HE is available in slide control as standard.

DIMENSIONS



SLIDE LEVER OPTIONS



GAS CONSUMPTION

Heat Input (High)	Heat Output (High)
3.7kW	2.7kW
Heat Input (Low)	Heat Output (Low)
2.5kW	1.7kW
ENERGY EFFICIENCY CLASS D	

FLUE OPTIONS



CONTROL




FUEL BED



FUEL




STANDARD TRIM OPTIONS




Front bars are optional. For more details see page 34

CREATIVE TRIM OPTIONS



PROFILE TRIM OPTIONS



Thermes

Balanced Flue



Thermes shown with Creative Profile Contemporary Satin/Black trim.

Featured with an Elgin & Hall Sophia 50" surround in Italcia Micro Marble


The Thermes is our high efficiency balanced flue gas appliance.

If you have no flue or chimney in your home you will need a balanced flue gas fire. The Thermes is a room sealed high efficiency gas fire that really delivers.

This fire flues through an external wall and can be installed in most new or existing fireplaces.

Remember, once you have chosen your appliance, you can decide how it looks by selecting trim and fret options. See the trim options below and in more detail on page 34.

DIMENSIONS



- A) 512mm
- B) 406mm
- C) 607mm
- D) 552mm
- E) 186mm
- F) 290-624mm
- G) 152mm

GAS CONSUMPTION

Heat Input (High)	4.2kW	Heat Output (High)	3.3kW
Heat Input (Low)	2.9kW	Heat Output (Low)	2.1kW

ENERGY EFFICIENCY CLASS C

FLUE OPTION



Balanced Flue

CONTROLS



Manual Electronic



Slide

FUEL BED



Coal

FUEL



Natural Gas

SLIDE LEVER



Easy Grip

CREATIVE TRIM OPTIONS




Brass/Black




Satin/Black



Chrome/Black



Brass/Black Profile



Satin/Black Profile



Chrome/Black Profile

STANDARD TRIM OPTIONS



Brass



Satin



Chrome



Black

Front bars are optional. For more details see page 34

Cavello XE




Cavello XE shown with Brass/Black Contemporary Creative trim.

The Cavello XE is a realistic open fronted gas fire with a powerful convecting heat exchanger to boost performance.


The Cavello is supplied with the XE System as standard, see page 7 for more details. This convector appliance will produce enough heat to satisfy most of the largest living rooms. It is available in manual and slide control with options of coal and pebble fuel bed effects.

The Wildfire Cavello XE can be supplied with a range of trims to suit the style that you are trying to achieve. See full trim options on pages 34.

DIMENSIONS



SLIDE LEVER OPTIONS




GAS CONSUMPTION


Heat Input (High)	Heat Output (High) (Manual Control)
6.75kW	3.8kW
Heat Input (Low) (Manual Control)	Heat Output (Low) (Manual Control)
3.5kW	1.8kW

ENERGY EFFICIENCY CLASS F

FLUE OPTIONS



CONTROLS




FUEL BEDS



FUEL




STANDARD TRIM OPTIONS




Front bars are optional. For more details see page 34

CREATIVE TRIM OPTIONS



PROFILE TRIM OPTIONS



Montese (Cadiz Suite)



The Montese shown with Cadiz suite in white/Grey. Also shown in all white (inset). Cadiz suite available with or without lights.

Available as XE model with canopy see page 7 for further information.




The Montese is a stunning fire that will enhance any living room.

The Montese is an authentic looking coal effect gas fire, where realism is the most important factor.


By utilising the broad range of trims that Wildfire provides, you can choose the mood of your room from contemporary to traditional. It is available with pebble and coal fuel bed options and offers an impressive radiant heat output.

The Wildfire Montese is available in manual and slide control. See page 34 for full trim specifications.


DIMENSIONS




SLIDE LEVER OPTIONS




MANTEL




GAS CONSUMPTION



FLUE OPTIONS



CONTROLS



FUEL BEDS




FUEL



STD. TRIM OPTIONS



Front bars are optional. For more details see page 34



CREATIVE TRIM OPTIONS



PROFILE TRIM OPTIONS



Ceralis (Salerno Suite)



The Ceralis shown with standard brass trim and Bauhaus fret. The Salerno mantel in all white. Also available in white/grey.

Available as XE model with canopy see page 7 for further information.




The Ceralis is a powerful slimline appliance that will fit into all flue types. A spacer is available to enable it to be fitted into shallow precast flues.

The realistic fuel bed boasts a powerful flame picture for its size making the Wildfire Ceralis the obvious option when the flue available limits your choice of fire.


The Ceralis is available in manual and slide control with coal and pebble fuel bed options. The slimline fire is a stunning appliance which makes it the first choice for your precast flue. For full trim options see page 34.

DIMENSIONS




A) 512mm	D) 553mm	G) 300mm	A) 1220mm	D) 400mm	G) 413mm
B) 352mm	E) 123mm		B) 1220mm	E) 210mm	H) 565mm
C) 607mm	F) 65mm		C) 1095mm	F) 45/75mm	

SLIDE LEVER OPTIONS



MANTEL




GAS CONSUMPTION

Heat Input (High)	Heat Output (High)
6.75kW	3.5kW
Heat Input (Low)	Heat Output (Low)
3.5kW	1.7kW


ENERGY EFFICIENCY CLASS F

Available with grey inner border. See similar detail on the Cadiz suite - page 26

FLUE OPTIONS



CONTROLS



FUEL BEDS




FUEL




STD. TRIM OPTIONS




Front bars are optional. For more details see page 34



CREATIVE TRIM OPTIONS



PROFILE TRIM OPTIONS



Ellipsis



Ellipsis Hearth Mounted with Coal and Chrome/Black trim.
Ellipsis HE glass fronted (inset)


This stunning contemporary styled fire will be the focal point in any modern home.

The Ellipsis is available in open fronted or glass fronted HE format. The Ellipsis open fronted has a pebble option. This product is only available as manual control.

The Ellipsis will provide you with a stylish look with flexible installation options.


The Ellipsis Hearth Mounted is also available as a slimline, talk to your retailer for further details.

DIMENSIONS




OPEN FRONTED

- A) 512mm
- B) 403mm
- C) 607mm
- D) 553mm
- E) 173mm
- F) 104mm
- G) 328mm



GLASS FRONTED

- A) 512mm
- B) 403mm
- C) 607mm
- D) 553mm
- E) 198mm
- F) 174mm
- G) 358mm



BALANCED FLUE

- A) 512mm
- B) 403mm
- C) 607mm
- D) 553mm
- E) 198mm
- F) 174mm
- G) 358mm

FLUE OPTIONS



Brick Chimney Pre-Fabricated Pre-Cast*
*Open fronted only

CONTROL



Manual

FUEL BEDS



Coal Pebble*

FUEL



Natural Gas

ELLIPSIS TRIM OPTIONS




Satin/Black Chrome/Black

GAS CONSUMPTION

For inputs and outputs and efficiency classes refer to the relevant pages as below:

- OPEN FRONTED (REFER TO MONTESE - PAGE 26)
- GLASS FRONTED (REFER TO CRESSIDA - PAGE 18)
- BALANCED FLUE (REFER TO THERMES - PAGE 22)

Ellipsis HIW



The Ellipsis 'Hole in the wall' with Chrome/Black trim.
Open fronted in pebble (inset)



FLUE OPTIONS



Brick
Chimney



Pre-
Fabricated



Balanced
Flue

CONTROL



Manual



Manual
Electronic*

FUEL BEDS



Coal



Pebble**

*Glass fronted only

**Open fronted only

FUEL



Natural Gas

ELLIPSIS TRIM OPTIONS



4 Sided
Satin/Black



4 Sided
Chrome/Black

GAS CONSUMPTION

For inputs and outputs and efficiency classes refer to the relevant pages as below:

OPEN FRONTED (REFER TO MONTESE - PAGE 26)

GLASS FRONTED (REFER TO CRESSIDA - PAGE 18)

BALANCED FLUE (REFER TO THERMES - PAGE 22)


This beautifully styled hole in the wall appliance produces a powerful output.

Its warmth will transform your living environment. The Ellipsis is suitable for Class 1 and Class 2 flue types and is available in Coal or Pebble.*

The Ellipsis is available in open fronted or glass fronted HE format. The Ellipsis open fronted has a pebble option. This product is only available as manual control.


The Wildfire Ellipsis combines style, efficiency and space saving to provide the ultimate solution for an open fronted gas or glass fronted fire. If you are looking for realism coupled with powerful heat whilst retaining efficiency then this is the product for you.

DIMENSIONS




OPEN FRONTED

- A) 512mm
- B) 403mm
- C) 660mm
- D) 553mm
- E) 173mm
- F) 104mm
- G) 358mm



GLASS FRONTED

- A) 512mm
- B) 403mm
- C) 660mm
- D) 553mm
- E) 198mm
- F) 174mm
- G) 358mm



BALANCED FLUE

- A) 512mm
- B) 406mm
- C) 660mm
- D) 552mm
- E) 186mm
- F) 290-624mm
- G) 152mm

Trim Options

Choose the trim and fret options from the selection on this page. The Standard and Creative trim and fret options will fit **ALL** of the products in this brochure. The Ellipsis trim will fit manual control fires only. For further fret options consult your retailer.

SLIDE LEVER OPTIONS



Brass




Chrome



Black Nickel



Black



Easy Grip

STANDARD TRIM OPTIONS



Brass



Satin



Chrome



Black



Contemporary Brass



Contemporary Satin



Contemporary Chrome



Contemporary Black

CREATIVE TRIM OPTIONS



Brass/Black



Satin/Black



Chrome/Black



Bl. Nickel/Black



Contemporary Brass/Black



Contemporary Satin/Black



Contemporary Chrome/Black



Contemporary Bl. Nickel/Black

PROFILE TRIM OPTIONS



Brass/Black Profile



Satin/Black Profile



Chrome/Black Profile



Bl. Nickel/Black Profile

ELLIPSIS TRIM OPTIONS



Satin/Black



Chrome/Black



4 Sided Satin/Black



4 Sided Chrome/Black

Ellipsis trim only suitable for manual control appliances

PANAMA TRIM OPTIONS



Brass/Black



Satin/Black



Chrome/Black



Bl. Nickel/Black



Black



Technical Information

Use the chart below to quickly check the options available for each product contained in this brochure. You will also find the flue types which products can be installed into. For further information consult the manufacturer's installation instructions or ask your local retailer for further advice.

PAGE NO.	FIRES	COAL OPTION	PEBBLE OPTION	LOG OPTION	MANUAL CONTROL	SLIDE CONTROL	PRE-CAST FLUE	CLASS II FLUE	CLASS I FLUE	BALANCED FLUE	XE INCLUDED	XE OPTIONAL	HE
8-9	HE900 (STD & PCF)			✓		✓	✓	✓	✓				✓
10-11	HE900 (STD & PCF)			✓		✓	✓						✓
12-13	HE950L (STD & PCF)			✓		✓	✓	✓	✓				✓
14-15	HE950L (STD & PCF)			✓		✓	✓						✓
16-17	PANAMA			✓		✓		✓	✓				✓
18-19	CRESSIDA HE	✓			✓	✓		✓	✓				✓
20-21	PESARO HE	✓				✓	✓	✓	✓				✓
22-23	THERMES	✓			✓	✓				✓			✓
24-25	CAVELLO XE	✓	✓		✓	✓		✓	✓		✓		
26-27	MONTESE	✓	✓		✓	✓	✓	✓	✓			✓	
28-29	CERALIS	✓	✓		✓	✓	✓	✓	✓			✓	
30-31	ELLIPSIS	✓	✓*		✓			✓	✓			✓	✓**
32-33	ELLIPSIS HIW	✓	✓*		✓			✓	✓			✓	✓**

*open fronted only **glass fronted only

WILDFIRE
SPREADING INNOVATION




HEARTH PRODUCTS

Sales Enquiries: sales@hearthproducts.co.uk

Technical Enquiries: customerservice@hearthproducts.co.uk

Tel: 01785 225401 | **Fax:** 01785 225501

Hearth Products Ltd, Unit 14 Brindley Close,
Tollgate Industrial Estate, Stafford ST16 3SU



www.wildfiregas.co.uk

Scan the QR code with your mobile device
to be directed to the Wildfire website.

