

STEARN

T h e F i r e s S p e c i a l i s t



THE FIRES GUIDE

ISSUE 10



Welcome to our latest fires guide...

... As well as being a source of warmth, a well chosen fire can become a real feature in a room. With so much choice available, it can be difficult to know which type of fire will suit you and your home, and this is where we can help. This catalogue is intended to be an inspirational and helpful tool that provides you with all the information you need to make the right choice. We can advise you on which fuel source will best suit your needs, and the correct fire for your chimney specification.

When considering the physical demands of your fire, finding one that suits your taste is crucial. From traditional to ultra-modern contemporary, Stearn offers a wide choice of electric, gas and solid fuel fires and stoves in a range of different colours and styles to create the mood, atmosphere and look you want. And if you can't decide which fire you prefer, we also offer a range of complete suites to help make your decision easier!



Whilst this guide shows a comprehensive selection of fires stocked and fully available from Stearn, the complete brand range is also fully available upon request.

Just ask



E&OE / Data

Although we strive to keep the content of this catalogue as accurate as possible, we cannot be held responsible for any errors or omissions.

The information within this catalogue has been collated from manufacturers data and may be subject to change without notice.

Contents



3-37 Gas

Wall Mounted	4-5
Engine	13
Mix & Match	15-18
Inset	5-26
Inspire Suites	27-29
Outset	30-37



38-69 Electric

Engines	39-40
Wall Hung	41-46
Inset	48-59
Free Standing	59-60
Stoves	61-65
Suites & Surrounds	66-69



70-77 Solid Fuel 78-82 Fires Index

Guide to Symbols



LPG

There is a conversion kit available (possibly supplied) to allow the use of LPG in non natural gas areas



Remote Control

Allows the control of the appliance from the comfort of your seat



Slide Control

Easier control of the gas flow through the appliance



Prefabricated Flue (Deep Flue)

Suitable for most fires



Pre Cast Flue (Slimline Flue)

Suitable for Slimline fires



Balanced Flue

These use twin horizontal pipes to draw air in & out



Brick Built Chimney (Deep Chimney)

Suitable for all fires



Top or Rear Flue

You are able to attach a flue to a solid stove either way depending on practicality of installation



Top Flue

You are only able to attach a solid stove to a top flue



Efficiency

This will give you a guide to the running costs of your gas fire. The higher the number the less your fuel bill will be & the smaller your carbon footprint



Warranty

Manufacturers service cover to give you peace of mind



Catalytic Converters

Fires using Catalytic Converters where there are no flue or chimney still require a minimum room size.



DEFRA Approved

Defra-exempted stoves can be used in designated Smoke Control Areas where wood burning is otherwise illegal.

Smoke Control Areas locations can be found on

www.uksmokecontrolareas.co.uk



Display & Demonstrate Range

has been created to help drive sales directly through the independent retailer channel.

All models are available at a competitive price for outlets committing to in-store displays, rather than internet sales.

The range also comes with an extended guarantee, allowing retailers to offer their customers an extra edge of exclusivity.



Valor Centre Guarantee

Bearing the hallmark of all Valor fires, these exclusive models combine the ultimate in flame realism with high heat efficiency and engineering excellence, as well as boasting a distinctive range of aesthetic options.

When you purchase one of these fires, you will get an impressive three year guarantee so that you can rest assured that in the event of anything going wrong, we're right behind you.

Fuel Bed Options

Some fires are available with the option to specify your fuel bed & create a look to suit your home.



Coals



Driftwood



Embers



Flames & Glowing Light Bed



Flames



Campfire Logs



Logs



Mixed Stones



Opti-V



Pebbles



Crystals



Radiant



Gas



Curve Black



Catalogue Number:	FCRR00RN (illustrated)
Heat Output:	4kW
Control Options:	Remote
Fuel Bed Options:	Flame
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H635mm x W870mm x D166mm
Colour Options:	Black or Graphite
Efficiency:	71%
Warranty:	7 Years
Fuel Source:	Natural Gas



Expression HE



Catalogue Number:	FHKCEHRN2
Heat Output:	3.2kW
Control Options:	Remote
Fuel Bed Options:	Radiant and Convection Heat
Chimney/Flue Requirements:	See Icons
Appliance Dimensions:	H650mm x W500mm x D180mm
Colour Options:	Silver
Efficiency:	78%
Warranty:	7 Years
Fuel Source:	Natural Gas



Finesse



Catalogue Number:	FSRCXXMN (illustrated)
Heat Output:	3.3kW
Control Options:	Manual
Fuel Bed Options:	Pebbles
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H690mm W558mm D170mm
Colour Options:	Brass or Chrome
Efficiency:	56%
Warranty:	7 Years
Fuel Source:	Natural Gas



Rocco HE

FLAVEL

Catalogue Number:	FBFL01RN3 (illustrated)
Heat Output:	4.2KW
Control Options:	Remote
Fuel Bed Options:	Logs
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H613mm x W910mm x D385mm
Colour Options:	Silver, Black or Champagne*
Efficiency:	87%
Warranty:	7 Years
Fuel Source:	Natural Gas



*Black or Cream Internal Fire Back Available



Calibre

FLAVEL

Catalogue Number:	FBFC37MN2 (illustrated)
Heat Output:	4.3kW
Control Options:	Manual, Remote or Easy Flame
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	Balanced Flue
Appliance Dimensions:	H595mm x W500mm x D185mm
Colour Options:	Silver or Brass
Efficiency:	94%
Warranty:	7 Years
Fuel Source:	Natural Gas or LPG



Calypso

FLAVEL

Catalogue Number:	FNCN42SN (illustrated)
Heat Output:	3.9kW
Control Options:	Slide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H605mm x W491mm x D254mm
Colour Options:	Brass
Efficiency:	65%
Warranty:	7 Years
Fuel Source:	Natural Gas





Caress Traditional HE

FLAVEL

Catalogue Number:	FHEC41SN (illustrated)
Heat Output:	4kW
Control Options:	Manual, Slide or Remote
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H615mm x W510mm x D230mm
Colour Options:	Brass or Silver
Efficiency:	89%
Warranty:	7 Years
Fuel Source:	Natural Gas or LPG



Decadence HE Brass

FLAVEL

Catalogue Number:	FHKCDBRN3 (Illustrated)
Heat Output:	3.2kW
Control Options:	Remote
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See Icons
Appliance Dimensions:	H631mm x W529mm x D180mm
Colour Options:	Brass, Silver or Black Nickel
Efficiency:	78%
Warranty:	7 Years
Fuel Source:	Natural Gas



Decadence Plus Brass

FLAVEL

Catalogue Number:	FKPCDBRN2 (Illustrated)
Heat Output:	4.4kW
Control Options:	Remote
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See Icons
Appliance Dimensions:	H631mm x W529mm x D170mm
Colour Options:	Brass, Silver or Black Nickel
Efficiency:	70%
Warranty:	7 Years
Fuel Source:	Natural Gas



Expression Plus

FLAVEL

Catalogue Number:	FKPCEPRN (Illustrated)
Heat Output:	4.4kW
Control Options:	Remote
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See Icons
Appliance Dimensions:	H599mm x W500mm x D170mm
Colour Options:	Silver
Efficiency:	70%
Warranty:	7 Years
Fuel Source:	Natural Gas



Opulence Plus Brass

FLAVEL

Catalogue Number:	FKPCOBRN (Illustrated)
Heat Output:	4.4kW
Control Options:	Remote
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See Icons
Appliance Dimensions:	H607mm x W514mm x D170mm
Colour Options:	Brass or Silver
Efficiency:	70%
Warranty:	7 Years
Fuel Source:	Natural Gas



Orchestra BF

FLAVEL

Catalogue Number:	FBFN98G (illustrated)
Heat Output:	2.8kW
Control Options:	Manual
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	Balanced Flue
Appliance Dimensions:	H620mm x W470mm x D125mm
Colour Options:	Silver
Efficiency:	80%
Warranty:	7 Years
Fuel Source:	Natural Gas or LPG





Rhapsody

FLAVEL

Catalogue Number:	FDCN45SN (illustrated)
Heat Output:	4kW
Control Options:	Slide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H605mm x W491mm x D254mm
Colour Options:	Brass, Black, Silver or Antique
Efficiency:	65%
Warranty:	7 Years
Fuel Source:	Natural Gas or LPG



Richmond

FLAVEL

Catalogue Number:	FICC42SN (illustrated)
Heat Output:	4kW
Control Options:	Manual, Slide or Remote
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H595mm x W500mm x D250mm
Colour Options:	Brass, Black or Silver
Efficiency:	65%
Warranty:	7 Years
Fuel Source:	Natural Gas



Warwick Brass

FLAVEL

Catalogue Number:	FIRC14MN (illustrated)
Heat Output:	3.3kW
Control Options:	Manual
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H595mm x W325mm x D100mm
Colour Options:	Brass
Efficiency:	56%
Warranty:	7 Years
Fuel Source:	Natural Gas



Windsor Contemporary

FLAVEL

Catalogue Number:	FSRPU0MN (illustrated)
Heat Output:	3.3kW
Control Options:	Manual
Fuel Bed Options:	Pebbles, Coals or Driftwood
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H592mm x W475mm x D120mm
Colour Options:	Silver, Brushed Steel or Brass
Efficiency:	56%
Warranty:	7 Years
Fuel Source:	Natural Gas



Windsor Contemporary HE

FLAVEL

Catalogue Number:	FSHCU0MN (illustrated)
Heat Output:	3.2kW
Control Options:	Manual
Fuel Bed Options:	Coals or Pebbles
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H592mm x W475mm x D125mm
Colour Options:	Silver or Brass
Efficiency:	89%
Warranty:	7 Years
Fuel Source:	Natural Gas



Windsor Traditional HE

FLAVEL

Catalogue Number:	FSHC11SN (illustrated)
Heat Output:	3.2kW
Control Options:	Manual or Slide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H592mm x W475mm x D125mm
Colour Options:	Brass or Silver
Efficiency:	89%
Warranty:	7 Years
Fuel Source:	Natural Gas





Blenheim Full Depth



Catalogue Number:	0594151
Heat Output:	3.8kW
Control Options:	Manual
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H599mm x W492mm x D186mm
Colour Options:	Brass
Efficiency:	61%
Warranty:	1 Year
Fuel Source:	Natural Gas or LPG



Blenheim Slimline



Catalogue Number:	05956D6 (illustrated)
Heat Output:	3.1kW
Control Options:	Manual
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H585mm x W450mm x D115mm
Colour Options:	Chrome, Brass or Black
Efficiency:	56%
Warranty:	1 Year
Fuel Source:	Natural Gas or LPG



Blenheim Slimline Homeflame



Catalogue Number:	0596411 (illustrated)
Heat Output:	3.1kW
Control Options:	Manual
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H612mm x W505mm x D79mm
Colour Options:	Brass
Efficiency:	80%
Warranty:	1 Year
Fuel Source:	Natural Gas



Dream Balanced Flue



Catalogue Number:	05541G1 (illustrated)
Heat Output:	2.8kW
Control Options:	Top Manual Control
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	Balanced Flue
Appliance Dimensions:	H636mm x W518mm x D110mm
Colour Options:	Black, Chrome or Pale Gold
Efficiency:	84%
Warranty:	1 Year
Fuel Source:	Natural Gas



Dream Full Depth Convector



Catalogue Number:	05740L1 (illustrated)
Heat Output:	4kW
Control Options:	Fireslide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H636mm x W518mm x D235mm
Colour Options:	Pale Gold, Black or Chrome
Efficiency:	64%
Warranty:	1 Year
Fuel Source:	Natural Gas or LPG



Dream Full Depth Homeflame



Catalogue Number:	0576101 (illustrated)
Heat Output:	3.85kW
Control Options:	Fireslide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H636mm x W518mm x D186mm
Colour Options:	Pale Gold, Black, or Chrome
Efficiency:	85%
Warranty:	1 Year
Fuel Source:	Natural Gas





Dream Slimline Convector



Catalogue Number:	05750T1 (illustrated)
Heat Output:	3.3kW
Control Options:	Fireslide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See Icons
Appliance Dimensions:	H636mm x W518mm x D135mm
Colour Options:	Chrome, Black, or Pale Gold
Efficiency:	61%
Warranty:	1 Year
Fuel Source:	Natural Gas or LPG



Dream Slimline Homeflame



Catalogue Number:	0596321 (illustrated)
Heat Output:	3.1kW
Control Options:	Fireslide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H636mm x W518mm x D79mm
Colour Options:	Chrome, Black or Pale Gold
Efficiency:	80%
Warranty:	1 Year
Fuel Source:	Natural Gas



Harmony Full Depth Homeflame



Catalogue Number:	0576141 (illustrated)
Heat Output:	3.85kW
Control Options:	Fireslide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H631mm x W546mm x D186mm
Colour Options:	Black, Silver or Champagne
Efficiency:	85%
Warranty:	1 Year
Fuel Source:	Natural Gas



Majestic Decorative



Catalogue Number:	0593901 Engine (illustrated)
Heat Input:	6.85kW
Control Options:	Manual
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H N/A x W380mm x D193mm
Colour Options:	Black
Efficiency:	N/A
Warranty:	1 Year
Fuel Source:	Natural Gas



5135862 Fret (required)



Petrus Full Depth Homeflame



Catalogue Number:	05961E1 (illustrated)
Heat Output:	3.85kW
Control Options:	Fireslide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H636mm x W518mm x D186mm
Colour Options:	Black Chrome or Silver Chrome
Efficiency:	85%
Warranty:	1 Year
Fuel Source:	Natural Gas



Petrus Slimline Homeflame



Catalogue Number:	0596341 (illustrated)
Heat Output:	3.1kW
Control Options:	Fireslide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H636mm x W518mm x D79mm
Colour Options:	Silver Chrome or Black Chrome
Efficiency:	80%
Warranty:	1 Year
Fuel Source:	Natural Gas





Seattle Slimline



Catalogue Number:	0595603 (illustrated)
Heat Output:	3.1kW
Control Options:	Manual
Fuel Bed Options:	Pebbles
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H588mm x W450mm x D115mm
Colour Options:	Brushed Chrome
Efficiency:	56%
Warranty:	1 Year
Fuel Source:	Natural Gas or LPG



Blakely Landscape



Catalogue Number:	05762T1 (illustrated)
Heat Output:	4.3kW
Control Options:	Remote
Fuel Bed Options:	Coals & Driftwood
Chimney/Flue Requirements:	Brick Built Chimney
Appliance Dimensions:	H680mm x W930mm x D312mm
Colour Options:	Brushed Chrome
Efficiency:	84%
Warranty:	1 Year
Fuel Source:	Natural Gas or LPG



valor Trueflame

MIX & MATCH



The Trueflame 'mix and match' range combines Valor's market leading engines with a wide range of design choices to suit all tastes. It means we can offer customers full flexibility to combine their preferred Valor engine, trim and fret options. The Trueflame mix and match range offers a choice of full depth convector engine or high efficiency full depth glass fronted Homeflame engine, each available with either full trim or half trim in brass or chrome. The Trueflame range can be matched with a choice of two fret designs in brass or chrome – Blenheim and Downton to suit individual tastes.

Trim Finishes -



Fret Options -



valorcentre Trueflame

MIX & MATCH



The Valor Centre Trueflame 'mix and match' range combines Valor's market leading engines with a wide range of design choices to suit all tastes. It means we can offer customers full flexibility to combine their preferred Valor engine, trim and fret options. The Trueflame mix and match range offers a choice of full depth convector engine or high efficiency full depth glass fronted Homeflame engine, each available with either full trim or half trim in brass or chrome. The Valor Centre Trueflame range can be matched with a choice of three fret designs in brass or chrome – Alton, Bauhaus and Clifton to suit individual tastes.

Valor Centres offer an exclusive range of gas and electric fires that are not available anywhere else on the high street.

Bearing the hallmark of all Valor fires, these exclusive models combine the ultimate in flame realism with high heat efficiency and engineering excellence, as well as boasting a distinctive range of aesthetic options.

But that's not all. When you purchase from one of the Valor Centres, we will reward you with an impressive 3 year guarantee so that you can relax assured that in the event of anything going wrong, we're right behind you.

Only approved Valor Centres can offer a 3 year Guarantee with your purchase. This is because we have the up most confidence in these retailers' ability to recommend, supply and install the correct fire in a safe and secure way.



Trim Finishes -



Fret Options -





Full Depth Convector Full Trim Trueflame MIX & MATCH **Valor**

Catalogue Number:	0594062 (Engine & Trim Only)
Heat Output:	4.0kW
Control Options:	Fireslide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H621mm x W522mm x D235mm
Colour Options:	Brass(Shown) / Chrome(0594072)
Efficiency:	64%
Warranty:	1 Year
Fuel Source:	Natural Gas or LPG



Trim Finishes -



Full Trim Brass



Full Trim Chrome

Fret Options -



Downton Brass
(055927)



Downton Chrome
(055934)



Blenheim Brass
(055866)



Blenheim Chrome
(055873)



Full Depth Convector Half Trim Trueflame MIX & MATCH **Valor**

Catalogue Number:	0594092 (Engine & Trim Only)
Heat Output:	4.0kW
Control Options:	Fireslide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H610mm x W500mm x D235mm
Colour Options:	Chrome(Shown) / Brass(0594082)
Efficiency:	64%
Warranty:	1 Year
Fuel Source:	Natural Gas or LPG



Trim Finishes -



Half Trim Brass



Half Trim Chrome

Fret Options -



Downton Brass
(055927)



Downton Chrome
(055934)



Blenheim Brass
(055866)



Blenheim Chrome
(055873)



Full Depth Homeflame Full Trim

Catalogue Number:	0596142 (Engine & Trim Only)
Heat Output:	3.85kW
Control Options:	Fireslide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H621mm x W522mm x D186mm
Colour Options:	Brass(Shown) / Chrome(0596152)
Efficiency:	85%
Warranty:	1 Year
Fuel Source:	Natural Gas or LPG



Trim Finishes -



Full Trim Brass



Full Trim Chrome

Fret Options -

Downton Brass
(055927)Downton Chrome
(055934)Blenheim Brass
(055866)Blenheim Chrome
(055873)

Full Depth Homeflame Half Trim

Catalogue Number:	0596172 (Engine & Trim Only)
Heat Output:	3.85kW
Control Options:	Fireslide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H610mm x W500mm x D186mm
Colour Options:	Chrome(Shown) / Brass(0596162)
Efficiency:	85%
Warranty:	1 Year
Fuel Source:	Natural Gas or LPG



Trim Finishes -



Half Trim Brass



Half Trim Chrome

Fret Options -

Downton Brass
(055927)Downton Chrome
(055934)Blenheim Brass
(055866)Blenheim Chrome
(055873)



valorcentre



valorcentre



valorcentre



valorcentre

valorcentre

Trueflame
MIX & MATCH

EXCLUSIVE FRET OPTIONS



Alton Brass
(055804)



Alton Chrome
(055828)



Bauhaus Brass
(055842)



Bauhaus Chrome
(055859)



Clifton Brass
(055880)



Clifton Chrome
(055910)

These Fret options across the Trueflame Mix & Match range are offered exclusively by Valor Centre.



What is **Valorcentre**?

Valor understand that buying a gas or electric fire is a considered purchase and one that requires expert advice and guidance to find the model that best suits your needs. In order to provide you with a superior sales experience, Valor have created an exclusive network of Valor Centres throughout the UK.

As well as advising and guiding you every step of the way throughout your purchasing process, from selecting the right fire for your needs, to helping you arrange safe installation.

Valor Centres offer an exclusive range of gas and electric fires that are not available anywhere else on the high street.

Bearing the hallmark of all Valor fires, these exclusive models combine the ultimate in flame realism with high heat efficiency and engineering excellence, as well as boasting a distinctive range of aesthetic options.

But that's not all. When you purchase from one of our Valor Centres, we will reward you with an impressive **THREE YEAR** guarantee so that you can relax assured that in the event of anything going wrong, we're right behind you.

Only approved Valor Centres can offer a 3 year Guarantee with your purchase. This is because we have the utmost confidence in these retailers' ability to recommend, supply and install the correct fire in a safe and secure way.



Classica Full Depth Homeflame **Valorcentre**

Catalogue Number:	05961W1 (illustrated)
Heat Output:	3.85kW
Control Options:	Fireslide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H636mm x W518mm x D186mm
Colour Options:	Pewter
Efficiency:	85%
Warranty:	3 Year
Fuel Source:	Natural Gas or LPG



Excelsior Balanced Flue **Valorcentre**

Catalogue Number:	0554115 (illustrated)
Heat Output:	2.8kW
Control Options:	Manual Top Control
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	Balanced Flue
Appliance Dimensions:	H636mm x W518mm x D110mm
Colour Options:	Pale Gold or Black Nickel
Efficiency:	84%
Warranty:	3 Year
Fuel Source:	Natural Gas





Excelsior Full Depth Convector

Catalogue Number:	0594022 (illustrated)
Heat Output:	4.0kW
Control Options:	Fireslide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H636mm x W518mm x D235mm
Colour Options:	Pale Gold or Black Nickel
Efficiency:	64%
Warranty:	3 Year
Fuel Source:	Natural Gas or LPG



Excelsior Full Depth Homeflame

Catalogue Number:	0596132 (illustrated)
Heat Output:	3.85kW
Control Options:	Fireslide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H636mm x W518mm x D186mm
Colour Options:	Black Nickel
Efficiency:	85%
Warranty:	3 Year
Fuel Source:	Natural Gas



Excelsior Full Depth Homeflame

Catalogue Number:	0596122 (illustrated)
Heat Output:	3.85kW
Control Options:	Fireslide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H636mm x W518mm x D186mm
Colour Options:	Pale Gold
Efficiency:	85%
Warranty:	3 Year
Fuel Source:	Natural Gas



Excelsior Slimline Convector



Catalogue Number:	0595351 (illustrated)
Heat Output:	3.3kW
Control Options:	Fireslide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H636mm x W518mm x D135mm
Colour Options:	Black Nickel
Efficiency:	61%
Warranty:	3 Year
Fuel Source:	Natural Gas or LPG



Excelsior Slimline Convector



Catalogue Number:	0595341 (illustrated)
Heat Output:	3.3kW
Control Options:	Fireslide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H636mm x W518mm x D135mm
Colour Options:	Pale Gold
Efficiency:	61%
Warranty:	3 Year
Fuel Source:	Natural Gas or LPG



Excelsior Slimline Homeflame



Catalogue Number:	0596394 (illustrated)
Heat Output:	3.1kW
Control Options:	Fireslide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H636mm x W518mm x D79mm
Colour Options:	Pale Gold or Black Nickel
Efficiency:	80%
Warranty:	3 Year
Fuel Source:	Natural Gas





Masquerade Balanced Flue



Catalogue Number:	0554114 (illustrated)
Heat Output:	2.8kW
Control Options:	Top Manual Control
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	Balanced Flue
Appliance Dimensions:	H636mm x W518mm x D110mm
Colour Options:	Black Nickel or Pale Gold
Efficiency:	84%
Warranty:	3 Year
Fuel Source:	Natural Gas



Masquerade Full Depth Convector



Catalogue Number:	0594012 (illustrated)
Heat Output:	4.0kW
Control Options:	Fireslide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H636mm x W518mm x D235mm
Colour Options:	Black Nickel
Efficiency:	64%
Warranty:	3 Year
Fuel Source:	Natural Gas or LPG



Masquerade Full Depth Convector



Catalogue Number:	0594002 (illustrated)
Heat Output:	4.0kW
Control Options:	Fireslide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H636mm x W518mm x D235mm
Colour Options:	Pale Gold
Efficiency:	64%
Warranty:	3 Year
Fuel Source:	Natural Gas or LPG



Masquerade Full Depth Homeflame

Catalogue Number:	0596102 (illustrated)
Heat Output:	3.85kW
Control Options:	Fireslide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H636mm x W518mm x D186mm
Colour Options:	Pale Gold or Black Nickel
Efficiency:	85%
Warranty:	3 Year
Fuel Source:	Natural Gas



Masquerade Slimline Convector

Catalogue Number:	0595321 (illustrated)
Heat Output:	3.3kW
Control Options:	Fireslide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H636mm x W518mm x D135mm
Colour Options:	Pale Gold or Black Nickel
Efficiency:	61%
Warranty:	3 Year
Fuel Source:	Natural Gas or LPG



Masquerade Slimline Homeflame

Catalogue Number:	0596393 (illustrated)
Heat Output:	3.1kW
Control Options:	Fireslide
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H636mm x W518mm x D79mm
Colour Options:	Black Nickel or Pale Gold
Efficiency:	80%
Warranty:	3 Year
Fuel Source:	Natural Gas



The INSPIRE COLLECTION



Discover 'Inspire', a new collection of landscape gas fires from Valor

Combining design inspiration with innovative performance features and easy servicing, Inspire delivers the perfect package for your home.

Choose from a wide range of design choices, each delivering quality, flexibility and all the atmosphere of a standout feature fire in your living room.

Design flexibility

You can choose from a long list of designs, with 500, 600 or 800 models each available with a choice of controls, liners, log, trim effect and suites.

This includes two fuel beds, five ceramic back liners, two trim designs (each in a choice of four colours) and a choice of two suites for each model. Inspire gas fires from Valor can even be purchased with a frameless kit which requires no trim.

Flexible installation

The Inspire collection can be wall-mounted with a frameless kit or choice of trim, or incorporated within a choice of surround suites, each made from natural Portuguese limestone, to create a stunning focal point in the home.

The fires are glass fronted and you can choose the fuel bed and ceramic back liner, giving you exactly the design you want to suit your living room. Even servicing is made easy, thanks to the way in which the whole burner assembly slides out.




Trim Options


Edge Trims



A1 Chrome




A2 Brushed Chrome



A3 Anthracite




A4 Black



A5 Chrome



A6 Brushed Chrome



A7 Anthracite



A8 Black

Grande Trims

Liner Options



B1 Mirrored Glass



B2 Vermiculite



B3 Black



B4 Slate



B5 Brick



Inspire 400



Catalogue Number:	05401FSA7B1C3 (illustrated)
Heat Output:	4.0kW
Control Options:	Fireside or Remote
Fuel Bed Options:	Campfire Logs
Chimney/Flue Requirements:	Brick Built Chimney
Appliance Dimensions:	H574mm x W446mm x D293mm
Colour Options:	Brushed Chrome, Anthracite, Black, Chrome
Efficiency:	84.5%
Warranty:	3 Year
Fuel Source:	Natural Gas



Inspire 500




Catalogue Number:	05500FSA2B1C2 (illustrated)
Heat Output:	4.0kW
Control Options:	Fireslide or Remote
Fuel Bed Options:	Logs Rustic
Chimney/Flue Requirements:	Brick Built Chimney
Appliance Dimensions:	H574mm x W546mm x D268mm
Colour Options:	Brushed Chrome, Anthracite, Black, Chrome
Efficiency:	80%
Warranty:	3 Year
Fuel Source:	Natural Gas



Inspire 600



Catalogue Number:	05600FSA1B1C1 (illustrated)
Heat Output:	4.0kW
Control Options:	Fireslide or Remote
Fuel Bed Options:	Logs Oak
Chimney/Flue Requirements:	Brick Built Chimney
Appliance Dimensions:	H470mm x W646mm x D294mm
Colour Options:	Chrome, Anthracite, Black, Brushed Chrome
Efficiency:	75%
Warranty:	3 Year
Fuel Source:	Natural Gas





Inspire 800



Catalogue Number:	05800FSA2B2C1 (illustrated)
Heat Output:	4.6kW
Control Options:	Fireslide or Remote
Fuel Bed Options:	Logs Oak
Chimney/Flue Requirements:	Brick Built Chimney
Appliance Dimensions:	H470mm x W846mm x D294mm
Colour Options:	Brushed Chrome, Anthracite, Black, Chrome
Efficiency:	80%
Warranty:	3 Year
Fuel Source:	Natural Gas



Inspire 1000



Catalogue Number:	05100FSA3B1C1 (illustrated)
Heat Output:	4.9kW
Control Options:	Fireslide or Remote
Fuel Bed Options:	Logs Oak
Chimney/Flue Requirements:	Brick Built Chimney
Appliance Dimensions:	H470mm x W974mm x D294mm
Colour Options:	Anthracite, Black, Chrome, Brushed Chrome
Efficiency:	78%
Warranty:	3 Year
Fuel Source:	Natural Gas



Inspire 400 Atlanta Suite



Catalogue Number:	05401FSABB3C3D9 (illustrated)
Heat Output:	4.0kW
Control Options:	Remote or Fireslide
Fuel Bed Options:	Campfire Logs
Chimney/Flue Requirements:	Brick Built Chimney
Appliance Dimensions:	H1050mm x W1220mm x D380mm
Colour Options:	Turkish Limestone
Efficiency:	84.5%
Warranty:	3 Year
Fuel Source:	Natural Gas



Inspire 400/500 Palermo Suite



Catalogue Number:	05500RCA9B2C2D1 (illustrated)
Heat Output:	4.0kW
Control Options:	Remote or Fireslide
Fuel Bed Options:	Logs Rustic
Chimney/Flue Requirements:	Brick Built Chimney
Appliance Dimensions:	H1030mm x W1120mm x D380mm
Colour Options:	Portuguese Limestone
Efficiency:	80%
Warranty:	3 Year
Fuel Source:	Natural Gas



Inspire 400/500 Vincenza Suite



Catalogue Number:	05500RCA4B3C2D2 (illustrated)
Heat Output:	4.0kW
Control Options:	Remote or Fireslide
Fuel Bed Options:	Logs Rustic
Chimney/Flue Requirements:	Brick Built Chimney
Appliance Dimensions:	H1030mm x W1140mm x D380mm
Colour Options:	Portuguese Limestone
Efficiency:	80%
Warranty:	3 Year
Fuel Source:	Natural Gas





Inspire 600 Napoli Suite



Catalogue Number:	05600RCA9B2C1D3 (illustrated)
Heat Output:	4.0kW
Control Options:	Remote or Fireslide
Fuel Bed Options:	Logs Oak
Chimney/Flue Requirements:	Brick Built Chimney
Appliance Dimensions:	H875mm x W1220mm x D380mm
Colour Options:	Portuguese Limestone
Efficiency:	75%
Warranty:	3 Year
Fuel Source:	Natural Gas



Inspire 600 Verona Suite



Catalogue Number:	05600RCA4B5C2D4 (illustrated)
Heat Output:	4.0kW
Control Options:	Remote or Fireslide
Fuel Bed Options:	Logs Rustic
Chimney/Flue Requirements:	Brick Built Chimney
Appliance Dimensions:	H1130mm x W1220mm x D380mm
Colour Options:	Portuguese Limestone
Efficiency:	75%
Warranty:	3 Year
Fuel Source:	Natural Gas



Inspire 800 Abruzzo Suite



Catalogue Number:	05800RCA9B3C1D6 (illustrated)
Heat Output:	4.6kW
Control Options:	Remote or Fireslide
Fuel Bed Options:	Logs Oak
Chimney/Flue Requirements:	Brick Built Chimney
Appliance Dimensions:	H875mm x W1350mm x D380mm
Colour Options:	Portuguese Limestone
Efficiency:	80%
Warranty:	3 Year
Fuel Source:	Natural Gas



Inspire 800 Messina Suite



Catalogue Number:	05800RCA9B3C1D5 (illustrated)
Heat Output:	4.6kW
Control Options:	Remote or Fireslide
Fuel Bed Options:	Logs Oak
Chimney/Flue Requirements:	Brick Built Chimney
Appliance Dimensions:	H1030mm x W1430mm x D250mm
Colour Options:	Portuguese Limestone
Efficiency:	80%
Warranty:	3 Year
Fuel Source:	Natural Gas





Firenza

FLAVEL

Catalogue Number:	FFIR00MN (illustrated)
Heat Output:	3.4kW
Control Options:	Manual
Fuel Bed Options:	Radiant
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H658mm x W506mm x D222mm
Colour Options:	Bronze or Black
Efficiency:	74%
Warranty:	7 Years
Fuel Source:	Natural Gas



Misermatic

FLAVEL

Catalogue Number:	FORMT0EN (illustrated)
Heat Output:	5.2kW
Control Options:	Manual
Fuel Bed Options:	Radiant
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H615mm x W800mm x D200mm
Colour Options:	Teak, Mahogany, Black, Light Oak & Medium Oak
Efficiency:	84%
Warranty:	7 Years
Fuel Source:	Natural Gas



Regent

FLAVEL

Catalogue Number:	FRGCN0EN (illustrated)
Heat Output:	4.4kW
Control Options:	Manual
Fuel Bed Options:	Radiant
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H680mm x W710mm x D255mm
Colour Options:	Black or Bronze
Efficiency:	74%
Warranty:	7 Years
Fuel Source:	Natural Gas



Regent LFE

FLAVEL

Catalogue Number:	FRLCN0RN2 (illustrated)
Heat Output:	3.2kW
Control Options:	Manual
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H680mm x W710mm x D255mm
Colour Options:	Black or Bronze
Efficiency:	60%
Warranty:	7 Years
Fuel Source:	Natural Gas



Renoir

FLAVEL

Catalogue Number:	FRECNOEN (illustrated)
Heat Output:	4.3kW
Control Options:	Manual & Remote
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H703mm x W684mm x D324mm
Colour Options:	Black or Bronze
Efficiency:	78%
Warranty:	7 Years
Fuel Source:	Natural Gas



Strata

FLAVEL

Catalogue Number:	FORSBLEN (illustrated)
Heat Output:	5.2kW
Control Options:	Manual
Fuel Bed Options:	Radiant
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H630mm x W715mm x D210mm
Colour Options:	Black, Brown, Cream & White
Efficiency:	84%
Warranty:	7 Years
Fuel Source:	Natural Gas





Welcome



Catalogue Number:	FWERN0EN (illustrated)
Heat Output:	4.4kW
Control Options:	Manual
Fuel Bed Options:	Radiant
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H680mm x W718mm x D310mm
Colour Options:	Black or Bronze
Efficiency:	74%
Warranty:	7 Years
Fuel Source:	Natural Gas



Firecharm LFE



Catalogue Number:	A98003 (illustrated)
Heat Output:	4.4kW
Control Options:	Electronic
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H635mm x W650mm x D241mm
Colour Options:	Black or Bronze
Efficiency:	88%
Warranty:	1 Year
Fuel Source:	Natural Gas



Firecharm RS



Catalogue Number:	A99028 (illustrated)
Heat Output:	3.57kW
Control Options:	Electronic
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	Balanced Flue
Appliance Dimensions:	H633mm x W646mm x D273mm
Colour Options:	Black or Bronze
Efficiency:	88%
Warranty:	1 Year
Fuel Source:	Natural Gas



Firegem Visa



Catalogue Number:	A85014 (illustrated)
Heat Output:	4.87kW
Control Options:	Manual
Fuel Bed Options:	Radiant
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H540mm x W660mm x D196mm
Colour Options:	Black/Chrome, Olive or Black/Brass
Efficiency:	89%
Warranty:	1 Year
Fuel Source:	Natural Gas



Firegem Visa Deluxe



Catalogue Number:	A86005 (illustrated)
Heat Output:	4.87kW
Control Options:	Manual
Fuel Bed Options:	Radiant
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H556mm x W695mm x D198mm
Colour Options:	Teak
Efficiency:	89%
Warranty:	1 Year
Fuel Source:	Natural Gas



Firegem Visa Highline



Catalogue Number:	A85056 (illustrated)
Heat Output:	4.87kW
Control Options:	Manual (Electronic on A85044)
Fuel Bed Options:	Radiant
Chimney/Flue Requirements:	See Icons
Appliance Dimensions:	H622mm x W660mm x D196mm
Colour Options:	Black/Chrome, Olive or Black/Brass
Efficiency:	89%
Warranty:	1 Year
Fuel Source:	Natural Gas





Sahara



Catalogue Number:	A97039 (illustrated)
Heat Output:	4.78kW
Control Options:	Manual (Electronic on A97039)
Fuel Bed Options:	Radiant
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H643mm x W727mm x D232mm
Colour Options:	Pewter/Chrome, Pewter/Brass or Bronze
Efficiency:	88%
Warranty:	1 Year
Fuel Source:	Natural Gas



Sahara LFE



Catalogue Number:	A97030 (illustrated)
Heat Output:	4.4kW
Control Options:	Electronic
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H643mm x W727mm x D250mm
Colour Options:	Bronze or Pewter
Efficiency:	88%
Warranty:	1 Year
Fuel Source:	Natural Gas



Black Beauty Radiant



Catalogue Number:	05347A1 (illustrated)
Heat Output:	4.0kW
Control Options:	Manual & Electronic (05347E2)
Fuel Bed Options:	Radiant
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H625mm x W657mm x D204mm
Colour Options:	Black
Efficiency:	81%
Warranty:	1 Year
Fuel Source:	Natural Gas



Black Beauty Slimline



Catalogue Number:	0534101 (illustrated)
Heat Output:	4.0kW
Control Options:	Manual Side Control
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H655mm x W657mm x D247mm
Colour Options:	Black
Efficiency:	88%
Warranty:	1 Year
Fuel Source:	Natural Gas



Brava Radiant



Catalogue Number:	0534701 (illustrated)
Heat Output:	4.0kW
Control Options:	Manual & Electronic (05347E1)
Fuel Bed Options:	Radiant
Chimney/Flue Requirements:	See Icons
Appliance Dimensions:	H610mm x W713mm x D193mm
Colour Options:	Teak
Efficiency:	81%
Warranty:	1 Year
Fuel Source:	Natural Gas



Firelite Radiant



Catalogue Number:	0534761 (illustrated)
Heat Output:	4.0kW
Control Options:	Manual & (Electronic 0534771)
Fuel Bed Options:	Radiant
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H633mm x W620mm x D205mm
Colour Options:	Black
Efficiency:	81%
Warranty:	1 Year
Fuel Source:	Natural Gas





Heartbeat



Catalogue Number:	0533901 (illustrated)
Heat Output:	3.6kW
Control Options:	Manual Side Control
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H643mm x W632mm x D212mm
Colour Options:	Black
Efficiency:	78%
Warranty:	1 Year
Fuel Source:	Natural Gas



Valentia Balanced Flue



Catalogue Number:	0547401 (illustrated)
Heat Output:	3.57kW
Control Options:	Electronic
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	Balanced Flue
Appliance Dimensions:	H633mm x W646mm x D273mm
Colour Options:	Black & Chrome
Efficiency:	88%
Warranty:	1 Year
Fuel Source:	Natural Gas



Helmsley Radiant



Catalogue Number:	0534781 (illustrated)
Heat Output:	4.0kW
Control Options:	Electronic
Fuel Bed Options:	Radiant
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H630mm x W657mm x D225mm
Colour Options:	Black
Efficiency:	81%
Warranty:	3 Year
Fuel Source:	Natural Gas



Brunswick Gas Stove



Catalogue Number:	05910X2 (illustrated)
Heat Output:	4.0kW
Control Options:	Manual
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	Brick Built Chimney
Appliance Dimensions:	H630mm x W390mm x D440mm
Colour Options:	Black
Efficiency:	81%
Warranty:	3 Year
Fuel Source:	Natural Gas or LPG



Ridlington Gas Stove (Coals)



Catalogue Number:	05944X1 (illustrated)
Heat Output:	4.7kW
Control Options:	Manual (Remote 05944X5)
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	Brick Built Chimney
Appliance Dimensions:	H650mm x W530mm x D415mm
Colour Options:	Black
Efficiency:	77%
Warranty:	3 Year
Fuel Source:	Natural Gas or LPG



Ridlington Gas Stove (Logs)



Catalogue Number:	05944X6 (illustrated)
Heat Output:	4.7kW
Control Options:	Manual (Remote 05944X7)
Fuel Bed Options:	Logs
Chimney/Flue Requirements:	Brick Built Chimney
Appliance Dimensions:	H650mm x W530mm x D415mm
Colour Options:	Black
Efficiency:	77%
Warranty:	3 Year
Fuel Source:	Natural Gas





Electric

What is **Dimplex** opti-myst®?

Opti-myst® is a revolution in electric fire technology.

Using unique state-of-the-art technology, we have created the most realistic flame and smoke effect ever seen in an electric fire – an illusion so effective that we believe it is difficult to distinguish it from the real thing.

The fully 3-dimensional effect uses established ultrasonic technology adapted from commercial applications to create an ultra fine water mist that is illuminated to create the 'flames' and the 'smoke'.

The result? An effect that surpasses all expectations for realism in an electric fire. See it and believe it!



What is Display and Demonstrate?

The Display and Demonstrate range has been created to help drive sales directly through the independent retailer channel.

All models are available at a competitive price for outlets committing to in-store displays, rather than internet sales.

The range also comes with an extended guarantee, allowing retailers to offer their customers an extra edge of exclusivity.

The Display & Demonstrate range is available to Dimplex Centre and Dimplex Centre Plus retailers. Speak to your regional manager to find out more.



Chassis 400 & 600 **Dimplex** opti-myst®

Catalogue Number:	ENG600-BR (illustrated)(Engine)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote (Variable Flame)
Fuel Bed Options:	Logs
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H700mm x W646mm x D255mm
Colour Options:	N/A
Warranty:	3 Years
Fuel Source:	Electric



Chassis 400 - ENG56-400
H700mm x W490mm x D255mm



Cassette 400 & 600 **Dimplex** opti-myst®


Catalogue Number:	CAS600NH (illustrated)(Engine)
Heat Output:	N/A
Heat Type:	N/A
Control Options:	Remote (Variable Flame)
Fuel Bed Options:	Logs
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H171mm x W564mm x D216mm
Colour Options:	N/A
Warranty:	3 Years
Fuel Source:	Electric




Cassette 400 - CAS400NH
H171mm x W405mm x D216mm

Cassette 500 & 1000 **Dimplex** opti-myst®

Catalogue Number:	CAS1000 (illustrated)(Engine)
Heat Output:	N/A
Heat Type:	N/A
Control Options:	Remote (Variable Flame & Sound)
Fuel Bed Options:	LED Glowing Log bed
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H240mm x W1017mm x D354mm
Colour Options:	N/A
Warranty:	3 Years
Fuel Source:	Electric



Cassette 500 - CAS500
H240mm x W508mm x D354mm



What is CELSI Electrifiame?

Electrifiame uses advanced 3D technology to create one of the most realistic flame pictures found in any electric fire today.

Relax and enjoy the smoky, soothing flames and be amazed by the depth of the fuel effect. What's more, the high efficiency LED lights used to create the flame picture means that you benefit from low running costs too.

Electrifiame comes with a variable flame dimmer with four settings, and two heat levels, as well as a flame effect only option. All this can be operated via the remote control handset or using the manual controls on the appliance



Electrifiame Black Glass 1100



Catalogue Number:	EFH11BGRE (illustrated)
Heat Output:	1.5kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coal and Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H600mm x W1100mm x D126mm
Colour Options:	Black Glass
Warranty:	2 Years
Fuel Source:	Electric



Electrifiame Black Glass 1300



Catalogue Number:	EFH13BGRE (illustrated)
Heat Output:	1.5kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coal and Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H600mm x W1300mm x D126mm
Colour Options:	Black Glass
Warranty:	2 Years
Fuel Source:	Electric





Electrifiame Piano Black 1100



Catalogue Number:	EFH11PBRE (illustrated)
Heat Output:	1.5kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coal and Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H600mm x W1100mm x D150mm
Colour Options:	Piano Black
Warranty:	2 Years
Fuel Source:	Electric



Electrifiame Travertine 1100



Catalogue Number:	EFH11TVRE (illustrated)
Heat Output:	1.5kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coal and Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H600mm x W1100mm x D150mm
Colour Options:	Marble
Warranty:	2 Years
Fuel Source:	Electric



Electrifiame Travertine 1300



Catalogue Number:	EFH13TVRE (illustrated)
Heat Output:	1.5kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coal and Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H600mm x W1300mm x D150mm
Colour Options:	Marble
Warranty:	2 Years
Fuel Source:	Electric



Flamonik Enchant Black Glass



Catalogue Number:	CFECE0RE (illustrated)
Heat Output:	1.8kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Logs
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H441mm x W912mm x D126mm
Colour Options:	Black Glass
Warranty:	2 Years
Fuel Source:	Electric



Flamonik Rapture Black Glass



Catalogue Number:	CFECR0RE (illustrated)
Heat Output:	1.8kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H440mm x W686mm x D110mm
Colour Options:	Black Glass
Warranty:	2 Years
Fuel Source:	Electric



Artesia



Catalogue Number:	ART20 (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Crystal or White Pebbles
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H540mm x W825mm x D175mm
Colour Options:	Black
Warranty:	3 Years
Fuel Source:	Electric





Bach

Dimplex


Catalogue Number:	BCH20 (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Logs
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H600mm x W696mm x D183mm
Colour Options:	Black
Warranty:	1 Year
Fuel Source:	Electric



Belford

Dimplex *Optiflame*

Catalogue Number:	BLF50 (illustrated)
Heat Output:	1.2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Decorative Glass Pieces
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H495mm x W1280mm x D176mm
Colour Options:	Black
Warranty:	3 Years
Fuel Source:	Electric



Bizet

Dimplex

Catalogue Number:	BZT20N (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Logs
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H621mm x W750mm x D183mm
Colour Options:	Black & Silver
Warranty:	1 Year
Fuel Source:	Electric



Redway



Catalogue Number:	RDY20 (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Logs
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H690mm x W760mm x D181mm
Colour Options:	High Gloss & Anthracite Finish
Warranty:	3 Years
Fuel Source:	Electric



SP16E



Catalogue Number:	SP16E (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Logs
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H525mm x W1200mm x D182mm
Colour Options:	Black
Warranty:	1 Year
Fuel Source:	Electric



Tahoe



Catalogue Number:	TAH20 (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Logs
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H695mm x W900mm x D170mm
Colour Options:	Black Glass
Warranty:	3 Years
Fuel Source:	Electric



What is Dimplex Opti-V?

The most realistic flame effect you've ever seen

Following the success of the impressive Optiflame and Opti-myst flame effect fires, Dimplex is excited to announce the launch of the simply incredible Opti-V – the most unbelievable flame effect yet.

Using a unique and patent protected combination of real fire footage displayed on a High Definition LCD screen and a clever illusory technique, the Opti-V renders scenes of flickering flames dancing on a vertical fuel bed with an almost three dimensional depth of field.

With the addition of an audio element of crackling logs, the illusion of a real fire – and all at the running cost of a light bulb!

But don't take our word for it. See the effect for yourself at www.dimplex.co.uk/opti-v

We think you'll be amazed!



PGF10

 Dimplex Opti-V

Catalogue Number:	PGF10 (illustrated)
Heat Output:	N/A
Heat Type:	N/A
Control Options:	Remote
Fuel Bed Options:	LCD screen
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H455mm x W736mm x D320mm
Colour Options:	(Graphite Effect Frame Opt.)
Warranty:	3 Years
Fuel Source:	Electric



PGF20

 Dimplex Opti-V

Catalogue Number:	PGF20 (illustrated)
Heat Output:	N/A
Heat Type:	N/A
Control Options:	Remote
Fuel Bed Options:	LCD screen
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H445mm x W1356mm x D320mm
Colour Options:	N/A
Warranty:	3 Years
Fuel Source:	Electric



Cellini

Dimplex Opti-V

Catalogue Number:	CLL-OV (illustrated)
Heat Output:	N/A
Heat Type:	N/A
Control Options:	Remote & Volume
Fuel Bed Options:	Logs
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H705mm x W420mm x D360mm
Colour Options:	N/A
Warranty:	3 Years
Fuel Source:	Electric



Freestanding



Volterra

Dimplex Opti-V

Catalogue Number:	VLT-OV (illustrated)
Heat Output:	N/A
Heat Type:	N/A
Control Options:	Remote & Volume
Fuel Bed Options:	Logs
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H520mm x W625mm x D360mm
Colour Options:	N/A
Warranty:	3 Years
Fuel Source:	Electric



Freestanding

Sunningdale

Dimplex Opti-V

Catalogue Number:	SNG20 (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote & Volume
Fuel Bed Options:	Logs
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H660mm x W630mm x D440mm
Colour Options:	Graphite
Warranty:	3 Years
Fuel Source:	Electric



Freestanding





Electriflame XD Daisy



Catalogue Number:	EHXDDSRE (illustrated)
Heat Output:	1.8kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coals and Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H595mm x W490mm x D75mm
Colour Options:	Silver, Black or Brass
Warranty:	2 Years
Fuel Source:	Electric



Electriflame XD Royale Black



Catalogue Number:	EHXDRNRE (illustrated)
Heat Output:	1.8kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coals and Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H595mm x W490mm x D75mm
Colour Options:	Black, Brass or Silver
Warranty:	2 Years
Fuel Source:	Electric



Electriflame XD Royale Brass



Catalogue Number:	EHXDRBRE (illustrated)
Heat Output:	1.8kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coals and Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H595mm x W490mm x D75mm
Colour Options:	Brass, Black or Silver
Warranty:	2 Years
Fuel Source:	Electric



Lamela XD Brass

CELSI

Catalogue Number:	EHXDLSRE (Illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coals and Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H600mm x W500mm x D75mm
Colour Options:	Brass & Black or Silver & Black
Warranty:	2 Years
Fuel Source:	Electric





What is **Dimplex** Optiflame®?

Quite simply, Optiflame® is a remarkable innovation, unique to Dimplex, that provides a home with the most advanced and realistic electric flame effect in a wide variety of fires and fireplaces.

An Optiflame® fire guarantees instant ambience anywhere in the home and can be used all year round as the flame effect can be operated independently of the heater. Running just the flame effect costs less than a penny an hour. Perfect also for hotels and offices to brighten up rooms and reception areas.

Design flexibility is not the only benefit: Optiflame® fires are simplicity itself to install and plug into any standard outlet. No exterior wall access is required; no venting; no fuel pipes or expensive installation, just 'plug and go'.

Naturally as you would expect from Dimplex, Optiflame® fires also carry international electrical approvals for total user peace of mind. And as for maintenance, all that is required is the occasional replacement of the standard light bulbs.

Adagio

Dimplex Optiflame

Catalogue Number:	ADG20BN (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Manual
Fuel Bed Options:	Coals, White Pebbles & Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H635mm x W516mm x D185mm
Colour Options:	Black Nickel, Cast Iron or Brass
Warranty:	3 Years
Fuel Source:	Electric



Aspen

Dimplex Optiflame

Catalogue Number:	ASP20E (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Manual
Fuel Bed Options:	Coals, White Pebbles & Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H617mm x W520mm x D162mm
Colour Options:	Stainless Steel & Brass
Warranty:	1 Year
Fuel Source:	Electric



Danesbury

Dimplex *Optiflame*

Catalogue Number:	DAN20AB (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Manual
Fuel Bed Options:	Coals & Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H620mm x W518mm x D170mm
Colour Options:	Antique Brass, Brass or Black
Warranty:	1 Year
Fuel Source:	Electric



Delius

Dimplex *Optiflame*

Catalogue Number:	DLS20 (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Manual
Fuel Bed Options:	Coals, White Pebbles & Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H617mm x W520mm x D180mm
Colour Options:	Stainless Steel
Warranty:	1 Year
Fuel Source:	Electric



Elda

Dimplex *Optiflame*

Catalogue Number:	ELD20E (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Manual
Fuel Bed Options:	Coals, White Pebbles & Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H617mm x W514mm x D162mm
Colour Options:	Stainless Steel
Warranty:	1 Year
Fuel Source:	Electric





Exbury

Dimplex *Optiflame*

Catalogue Number:	EBY15BR (illustrated)
Heat Output:	1kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coals & Flame effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H583mm x W519mm x D204mm
Colour Options:	Brass, Chrome, Antique Brass
Warranty:	3 Years
Fuel Source:	Electric



Freeport

Dimplex *Optiflame*

Catalogue Number:	FPT20 (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Manual
Fuel Bed Options:	Coals, White Pebbles & Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H617mm x W520mm x D180mm
Colour Options:	Chrome, Black Nickel
Warranty:	3 Years
Fuel Source:	Electric



Horton

Dimplex *Optiflame*

Catalogue Number:	HTN20BR (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Manual
Fuel Bed Options:	Coals & Flame effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H621mm x W521mm x D170mm
Colour Options:	Brass, Black or Chrome
Warranty:	1 Year
Fuel Source:	Electric



Rockport

Dimplex *Optiflame*

Catalogue Number:	RKT20 (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Manual
Fuel Bed Options:	Coals, White Pebbles & Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H640mm x W520mm x D185mm
Colour Options:	Chrome
Warranty:	1 Year
Fuel Source:	Electric



Stamford

Dimplex *Optiflame*

Catalogue Number:	STM20 (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Manual
Fuel Bed Options:	Coals & Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H615mm x W465mm x D195mm
Colour Options:	Brass or Chrome
Warranty:	1 Year
Fuel Source:	Electric



Wynford

Dimplex *Optiflame*

Catalogue Number:	WYN20BRE (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Manual
Fuel Bed Options:	Coals & Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H620mm x W520mm x D155mm
Colour Options:	Brass, Chrome or Antique Brass
Warranty:	1 Years
Fuel Source:	Electric





Crestmore

Dimplex opti-myst®

Catalogue Number:	CRS20 (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H615mm x W465mm x D196mm
Colour Options:	Brass
Warranty:	3 Years
Fuel Source:	Electric



Danville

Dimplex opti-myst®

Catalogue Number:	DNV20AB (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H620mm x W520mm x D231mm
Colour Options:	Ant Brass, Brass, Black or Chrome
Warranty:	3 Years
Fuel Source:	Electric



Penngrove

Dimplex opti-myst®


Catalogue Number:	PNN20 (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H615mm x W465mm x D196mm
Colour Options:	Chrome
Warranty:	3 Years
Fuel Source:	Electric



Sacramento




Catalogue Number:	SCR20 (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H620mm x W520mm x D220mm
Colour Options:	Chrome
Warranty:	3 Years
Fuel Source:	Electric



What is **valor** DIMENSION?

The Dimension range of electric fires uses cutting edge technology to create the most authentic 'real fire effect' redefining the market for fuel effect fires.

The crucial elements of a real fire have been replicated; glow, so that the fire communicates warmth; authentic flame effect, providing colour and movement and fuel effect depth.

It is a totally new way of enjoying the atmosphere that only a real fire can create - at the press of a button.



Alton Slimline Dimension

valorcentre

Catalogue Number:	0585010 (illustrated)
Heat Output:	1.35kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H612mm x W505mm x D70mm
Colour Options:	Chrome or Brass
Warranty:	3 Year
Fuel Source:	Electric



valor DIMENSION



Bauhaus Slimline Dimension

valorcentre

Catalogue Number:	0585020 (illustrated)
Heat Output:	1.35kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H612mm x W505mm x D70mm
Colour Options:	Brass or Chrome
Warranty:	3 Year
Fuel Source:	Electric



valor DIMENSION

Blenheim Slimline Dimension



Catalogue Number:	0585050 (illustrated)
Heat Output:	1.35kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H612mm x W505mm x D70mm
Colour Options:	Chrome or Brass
Warranty:	1 Year
Fuel Source:	Electric



Showroom
Exclusive



Clifton Slimline Dimension



Catalogue Number:	0585060 (illustrated)
Heat Output:	1.35kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H612mm x W505mm x D70mm
Colour Options:	Brass or Chrome
Warranty:	3 Year
Fuel Source:	Electric



Downton Slimline Dimension



Catalogue Number:	0585090 (illustrated)
Heat Output:	1.35kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H612mm x W505mm x D70mm
Colour Options:	Chrome or Brass
Warranty:	1 Year
Fuel Source:	Electric



Showroom
Exclusive





Dream Slimline Dimension



Catalogue Number:	0585021 (illustrated)
Heat Output:	1.35kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H636mm x W518mm x D70mm
Colour Options:	Chrome, Black & Pale Gold
Warranty:	1 Year
Fuel Source:	Electric



Excelsior Slimline Dimension



Catalogue Number:	0585052 (illustrated)
Heat Output:	1.35kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H636mm x W518mm x D70mm
Colour Options:	Black Nickel or Pale Gold
Warranty:	3 Years
Fuel Source:	Electric



Masquerade Slimline Dimension



Catalogue Number:	0585082 (illustrated)
Heat Output:	1.35kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H636mm x W518mm x D70mm
Colour Options:	Pale Gold or Black Nickel
Warranty:	3 Years
Fuel Source:	Electric



Petrus Slimline Dimension



Catalogue Number:	05850N1 (illustrated)
Heat Output:	1.35kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H636mm x W518mm x D70mm
Colour Options:	Silver/Chrome & Black/Chrome
Warranty:	3 Years
Fuel Source:	Electric



Castillo



Catalogue Number:	CST20 (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Manual
Fuel Bed Options:	Coals, White Pebbles & Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H665mm x W603mm x D226mm
Colour Options:	Chrome or Silver
Warranty:	1 Year
Fuel Source:	Electric



Cheriton



Catalogue Number:	CHT20 (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Manual
Fuel Bed Options:	Coals & Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H682mm x W639mm x D194mm
Colour Options:	Black & Brass
Warranty:	1 Year
Fuel Source:	Electric





Detroit

Dimplex *Optiflame*

Catalogue Number:	DTT20 (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Manual
Fuel Bed Options:	Coals, White Pebbles & Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H665mm x W603mm x D226mm
Colour Options:	Black & Chrome
Warranty:	1 Year
Fuel Source:	Electric



Zamora

Dimplex *Optiflame*

Catalogue Number:	ZAM20 (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Manual
Fuel Bed Options:	Coals, White Pebbles & Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H665mm x W603mm x D226mm
Colour Options:	Black & Chrome
Warranty:	1 Year
Fuel Source:	Electric



Silverton

Dimplex *opti-myst*

Catalogue Number:	SVT20 (illustrated)
Heat Output:	N/A
Heat Type:	N/A
Control Options:	Remote
Fuel Bed Options:	Logs
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H305mm x W710mm x D355mm
Colour Options:	N/A
Warranty:	3 Years
Fuel Source:	Electric



Brayford

Dimplex *Optiflame*

Catalogue Number:	BFD20N (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Logs & Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H545mm x W440mm x D310mm
Colour Options:	Black
Warranty:	1 Year
Fuel Source:	Electric



Chevalier

Dimplex *Optiflame*

Catalogue Number:	CHV20N (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Logs or Coals & Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H640mm x W620mm x D390mm
Colour Options:	Cream
Warranty:	1 Year
Fuel Source:	Electric



Club

Dimplex *Optiflame*

Catalogue Number:	CLB20E (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Logs & Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H597mm x W510mm x D340mm
Colour Options:	Black
Warranty:	1 Year
Fuel Source:	Electric





Courchevel

Dimplex *Optiflame*

Catalogue Number:	CVL20N (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Logs & Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H597mm x W510mm x D340mm
Colour Options:	White
Warranty:	1 Year
Fuel Source:	Electric



Springborne

Dimplex *Optiflame*

Catalogue Number:	SBN20E (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coals & Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H545mm x W440mm x D310mm
Colour Options:	Black
Warranty:	1 Year
Fuel Source:	Electric



Stockbridge Black

Dimplex *Optiflame*

Catalogue Number:	SKG20BLN (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Logs or Coals & Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H640mm x W620mm x D390mm
Colour Options:	Black
Warranty:	1 Year
Fuel Source:	Electric



Tango

Dimplex *Optiflame*

Catalogue Number:	TNG20R (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coals & Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H545mm x W440mm x D310mm
Colour Options:	Black
Warranty:	1 Year
Fuel Source:	Electric



Auberry

Dimplex *opti-myst*

Catalogue Number:	AUB20 (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Logs
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H620mm x W480mm x D300mm
Colour Options:	White Gloss
Warranty:	3 Years
Fuel Source:	Electric



Burgate

Dimplex *opti-myst*

Catalogue Number:	BRG20
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Logs
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H670mm x W620mm x D390mm
Colour Options:	Black Gloss Enamel
Warranty:	3 Years
Fuel Source:	Electric





Meribel



Catalogue Number:	MRB20
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Logs
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H670mm x W620mm x D390mm
Colour Options:	Creamy White Gloss Enamel
Warranty:	3 Years
Fuel Source:	Electric



Oakhurst



Catalogue Number:	OKT20 (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Logs
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H620mm x W480mm x D300mm
Colour Options:	Black
Warranty:	3 Years
Fuel Source:	Electric



Willowbrook



Catalogue Number:	WLL20
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Logs
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H580mm x W440mm x D280mm
Colour Options:	Black
Warranty:	3 Years
Fuel Source:	Electric



Glendale Dimension Stove



Catalogue Number:	0585101 (illustrated)
Heat Output:	1.8kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Coals
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H623mm x W484mm x D303mm
Colour Options:	Matt Black
Warranty:	1 Year
Fuel Source:	Electric



valor DIMENSION





Alameda Suite

Dimplex opti-myst®

Catalogue Number:	ALM20 (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Logs
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H895mm x W1075mm x D330mm
Colour Options:	Stone Effect
Warranty:	3 Years
Fuel Source:	Electric



Chadwick Suite

Dimplex Optiflame

Catalogue Number:	CDW12WWN (illustrated)
Heat Output:	1.2kW
Heat Type:	Fan Heater
Control Options:	Manual
Fuel Bed Options:	Logs & Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H915mm x W934mm x D297mm
Colour Options:	Stone Effect
Warranty:	1 Year
Fuel Source:	Electric



Esme Suite

Dimplex opti-myst®

Catalogue Number:	ESM20
Heat Output:	N/A
Control Options:	Remote
Heat Type:	N/A
Fuel Bed Options:	Logs
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H686mm x W1168mm x D305mm
Colour Options:	White
Warranty:	1 Year
Fuel Source:	Electric



Figaro Suite

Dimplex *Optiflame*

Catalogue Number:	FGA15
Heat Output:	1.5kW
Control Options:	Remote
Heat Type:	Fan Heater
Fuel Bed Options:	Logs & Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H750mm x W700mm x D260mm
Colour Options:	Light Oak
Warranty:	3 Years
Fuel Source:	Electric



Moorefield Suite

Dimplex *opti-myst*

Catalogue Number:	MFD20 (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Logs
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H870mm x W920mm x D315mm
Colour Options:	Stone Effect
Warranty:	3 Years
Fuel Source:	Electric



Mini Mozart Suite

Dimplex *Optiflame*

Catalogue Number:	MMZ15 (illustrated)
Heat Output:	1.5kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Logs & Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H750mm x W700mm x D260mm
Colour Options:	Stone & Dark Marble Effect
Warranty:	3 Years
Fuel Source:	Electric





Mozart Suite

Dimplex *Optiflame*

Catalogue Number:	MZT20 (illustrated)
Heat Output:	2kW
Heat Type:	Fan Heater
Control Options:	Manual
Fuel Bed Options:	Logs & Flame Effect
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H857mm x W920mm x D375mm
Colour Options:	Stone & Dark Marble Effect
Warranty:	1 Year
Fuel Source:	Electric



Talia Suite

Dimplex *opti-myst*

Catalogue Number:	TAL20 (illustrated)
Heat Output:	2.0kW
Heat Type:	Fan Heater
Control Options:	Remote
Fuel Bed Options:	Logs
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H808mm x W1320mm x D381mm
Colour Options:	White
Warranty:	1 Year
Fuel Source:	Electric



Ashmore Surround

Dimplex

Catalogue Number:	GDS1 (illustrated)
Heat Output:	N/A
Heat Type:	N/A
Control Options:	N/A
Fuel Bed Options:	N/A
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H1120mm x W1200mm x D402mm
Colour Options:	Mahogany & Cream
Warranty:	1 Year
Fuel Source:	Only Suitable for Electric



Holwell Surround

Dimplex

Catalogue Number:	GDS1A (illustrated)
Heat Output:	N/A
Heat Type:	N/A
Control Options:	N/A
Fuel Bed Options:	N/A
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H1120mm x W1200mm x D402mm
Colour Options:	Maple & Black
Warranty:	1 Year
Fuel Source:	Only Suitable for Electric



Rockbourne Surround

Dimplex

Catalogue Number:	GDS3 (illustrated)
Heat Output:	N/A
Heat Type:	N/A
Control Options:	N/A
Fuel Bed Options:	N/A
Chimney/Flue Requirements:	N/A
Appliance Dimensions:	H1080mm x W1200mm x D350mm
Colour Options:	Stone Effect
Warranty:	1 Year
Fuel Source:	Only Suitable for Electric





Solid Fuel

Bellingham 5SE

Dimplex

Catalogue Number:	BLM5SE
Heat Output:	5kW (Wood) 4.9kW (Smokeless fuel)
Control Options:	N/A
Fuel Bed Options:	N/A
Chimney/Flue Requirements:	See Icons
Appliance Dimensions:	H596mm x W466mm x D368mm
Colour Options:	Black
Efficiency:	84.8% (Wood) 85% (Smokeless fuel)
Warranty:	10 Year
Fuel Source:	Logs and most smokeless fuels



Bellingham 8

Dimplex

Catalogue Number:	BLM8
Heat Output:	8kW (Wood) 8.3kW (Smokeless fuel)
Control Options:	N/A
Fuel Bed Options:	N/A
Chimney/Flue Requirements:	See Icons
Appliance Dimensions:	H616mm x W565mm x D369mm
Colour Options:	Black
Efficiency:	80% (Wood) 79.6% (Smokeless fuel)
Warranty:	10 Year
Fuel Source:	Logs and most smokeless fuels



Bellingham 12SE

Dimplex

Catalogue Number:	BLM12SE
Heat Output:	11.6kW (Wood) 11.5kW (Smokeless fuel)
Control Options:	N/A
Fuel Bed Options:	N/A
Chimney/Flue Requirements:	See Icons
Appliance Dimensions:	H696mm x W680mm x D384mm
Colour Options:	Black
Efficiency:	74.8% (Wood) 74% (Smokeless fuel)
Warranty:	10 Year
Fuel Source:	Logs and most smokeless fuels





Bellingham Inset

Dimplex

Catalogue Number:	BLM4ISE
Heat Output:	4.7kW (Wood) 4.6kW (Smokeless fuel)
Control Options:	N/A
Fuel Bed Options:	N/A
Chimney/Flue Requirements:	See Icons
Appliance Dimensions:	H600mm x W540mm x D302mm
Colour Options:	Black
Efficiency:	81.8% (Wood) 72.8% (Smokeless fuel)
Warranty:	10 Year
Fuel Source:	Logs and most smokeless fuels



Langbrook 5SE

Dimplex

Catalogue Number:	LBK5SE
Heat Output:	5kW (Wood & Smokeless fuel)
Control Options:	N/A
Fuel Bed Options:	N/A
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H600mm x W530mm x D368mm
Colour Options:	Black
Efficiency:	77% (Wood) 78.4% (Smokeless fuel)
Warranty:	10 Year
Fuel Source:	Logs and most smokeless fuels



Westcott Inset

Dimplex

Catalogue Number:	WST4I
Heat Output:	4.3kW (Wood) 3.9kW (Smokeless fuel)
Control Options:	N/A
Fuel Bed Options:	N/A
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H598mm x W538mm x D375mm
Colour Options:	Black
Efficiency:	80.9% (Wood) 75% (Smokeless fuel)
Warranty:	10 Year
Fuel Source:	Logs and most smokeless fuels



Westcott 5

Dimplex

Catalogue Number:	WST5
Heat Output:	5kW (Wood) 5.3kW (Smokeless fuel)
Control Options:	N/A
Fuel Bed Options:	N/A
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H540mm x W434mm x D336mm
Colour Options:	Black
Efficiency:	79.7% (Wood) 75.3% (Smokeless fuel)
Warranty:	10 Year
Fuel Source:	Logs and most smokeless fuels



Westcott 5SE

Dimplex

Catalogue Number:	WST5SE
Heat Output:	4.9kW (wood)
Control Options:	N/A
Fuel Bed Options:	N/A
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H540mm x W434mm x D448mm
Colour Options:	Black
Efficiency:	72% (Wood)
Warranty:	10 Year
Fuel Source:	Logs



Westcott 8

Dimplex

Catalogue Number:	WST8
Heat Output:	8kW (Wood) 8.1kW (Smokeless fuel)
Control Options:	N/A
Fuel Bed Options:	N/A
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H554mm x W564mm x D309mm
Colour Options:	Black
Efficiency:	76.6% (Wood) 70.2% (Smokeless fuel)
Warranty:	10 Year
Fuel Source:	Logs and most smokeless fuels





Westcott 12

Dimplex

Catalogue Number:	WST12
Heat Output:	12.1kW (wood) 12.2kW (Smokeless fuel)
Control Options:	N/A
Fuel Bed Options:	N/A
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H640mm x W670mm x D356mm
Colour Options:	Black
Efficiency:	73% (Wood) 71% (Smokeless fuel)
Warranty:	10 Year
Fuel Source:	Logs and most smokeless fuels



Arundel Multi Fuel Stove

FLAVEL

Catalogue Number:	FCMSB (illustrated)
Heat Output:	4.9kW (Wood) 4.8kW (Anthracite)
Control Options:	Primary & Secondary Air Controls
Fuel Bed Options:	N/A
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H580mm x W430mm x D332mm
Colour Options:	Black
Efficiency:	76.3% (Wood) 78.4% (Anthracite)
Warranty:	2 Year
Fuel Source:	Logs and most smokeless fuels



CV05 Multi Fuel Stove

FLAVEL

Catalogue Number:	FN1MFB
Heat Output:	5kW
Control Options:	N/A
Fuel Bed Options:	N/A
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H588mm x W414mm x D295mm
Colour Options:	Black
Efficiency:	75%+
Warranty:	5 Year
Fuel Source:	Logs, Coals or Peat



CV07 Multi Fuel Stove

FLAVEL

Catalogue Number:	FN2MFB
Heat Output:	7kW
Control Options:	N/A
Fuel Bed Options:	N/A
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H588mm x W524mm x D295mm
Colour Options:	Black
Efficiency:	75%+
Warranty:	5 Year
Fuel Source:	Logs, Coals or Peat



SQ05 Multi Fuel Stove

FLAVEL

Catalogue Number:	FN1MFBT
Heat Output:	5kW
Control Options:	N/A
Fuel Bed Options:	N/A
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H588mm x W414mm x D295mm
Colour Options:	Black
Efficiency:	75%+
Warranty:	5 Year
Fuel Source:	Logs, Coals or Peat



SQ07 Multi Fuel Stove

FLAVEL

Catalogue Number:	FN2MFBT
Heat Output:	7kW
Control Options:	N/A
Fuel Bed Options:	N/A
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H588mm x W524mm x D295mm
Colour Options:	Black
Efficiency:	75%+
Warranty:	5 Year
Fuel Source:	Logs, Coals or Peat





Rochester 5 Multi Fuel Stove



Catalogue Number:	FCSSB5
Heat Output:	4.9kW
Control Options:	N/A
Fuel Bed Options:	N/A
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H638mm x W430mm x D326mm
Colour Options:	Black
Efficiency:	78.5%
Warranty:	2 Year
Fuel Source:	Logs, Coals or Peat



Rochester 7 Multi Fuel Stove



Catalogue Number:	FCSSB
Heat Output:	6.8kW
Control Options:	N/A
Fuel Bed Options:	N/A
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H638mm x W532mm x D326mm
Colour Options:	Black
Efficiency:	74%
Warranty:	2 Year
Fuel Source:	Logs, Coals or Peat



Baltimore



Catalogue Number:	0591331
Heat Output:	12kW
Control Options:	N/A
Fuel Bed Options:	N/A
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H675mm x W634mm x D411mm
Colour Options:	Black
Efficiency:	76%
Warranty:	1 Year
Fuel Source:	Logs, Coals or Peat



Brunswick



Catalogue Number:	0591031
Heat Output:	5kW
Control Options:	N/A
Fuel Bed Options:	N/A
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H630mm x W390mm x D440mm
Colour Options:	Black
Efficiency:	79%
Warranty:	1 Year
Fuel Source:	Logs, Coals or Peat



Ridlington



Catalogue Number:	0594431
Heat Output:	8kW
Control Options:	N/A
Fuel Bed Options:	N/A
Chimney/Flue Requirements:	See icons
Appliance Dimensions:	H650mm x W530mm x D415mm
Colour Options:	Black
Efficiency:	79%
Warranty:	1 Year
Fuel Source:	Logs, Coals or Peat



STEARN

The Fires Specialist

EXPERTS IN HEAT, SMOKE AND CARBON MONOXIDE DETECTION



Manufacturer	Product Name	Cat No.	Heat Output	Control	Fuel Bed	Flue Req.	Dimensions (mm)	Colour Options	Efficiency	Warranty	Fuel Source	Page No.
Gas												Wall Mounted
Flavel	Curve Black	FCRR0ORN	4.0kW	R	F	PF/PCF/BBC	H635xW870xD166	BLK/GRA	71%	7 Yr	NG	4
Flavel	Expression HE	FKHCEHRN2	3.2kW	R	R	PF/PCF/BBC	H650xW500xD180	SLV	78%	7 Yr	NG	4
Flavel	Finesse	FSRCXXMN	3.3kW	M	P	PF/PCF/BBC	H690xW558xD170	BRS/CHR	56%	7 Yr	NG	4
Flavel	Rocco HE	FBFL01RN3	4.2kW	R	L	PF/BBC	H615xW910xD385	SLV/BLK/CHA	87%	7 Yr	NG	5

Manufacturer	Product Name	Cat No.	Heat Output	Control	Fuel Bed	Flue Req.	Dimensions (mm)	Colour Options	Efficiency	Warranty	Fuel Source	Page No.
Gas												Inset
Flavel	Calibre	FBFC37MN2	4.3kW	M/R/E	C	BF	H595xW500xD185	SLV/BRS	94%	7 Yr	NG/LPG	5
Flavel	Calypto	FNCH42SN	3.9kW	S	C	PF/BBC	H605xW491xD254	BRS	65%	7 Yr	NG	5
Flavel	Caress Traditional HE	FHEC41SN	4.0kW	M/S/R	C	PF/BBC	H615xW510xD250	BRS/SLV	89%	7 Yr	NG/LPG	6
Flavel	Decadence HE Brass	FKHCDBRN3	3.2kW	R	C	PF/PCF/BBC	H650xW529xD180	BRS/SLV/BNL	78%	7 Yr	NG	6
Flavel	Decadence Plus Brass	FKPCDBRN2	4.4kW	R	C	PF/PCF/BBC	H631xW529xD170	BRS/SLV/BNL	70%	7 Yr	NG	6
Flavel	Expression Plus	FKPCEPRN	4.4kW	R	C	PF/PCF/BBC	H599xW500xD170	SLV	70%	7 Yr	NG	7
Flavel	Opulence Plus Brass	FKPCOBRN	4.4kW	R	C	PF/PCF/BBC	H607xW514xD170	BRS/SLV	70%	7 Yr	NG	7
Flavel	Orchestra BF	FBFN98G	2.8kW	M	C	BF	H620xW470xD125	SLV	80%	7 Yr	NG/LPG	7
Flavel	Rhapsody	FDCN45SN	4.0kW	S	C	PF/BBC	H605xW491xD254	BRS/BLK/SLV/ABRS	65%	7 Yr	NG/LPG	8
Flavel	Richmond	FICC42SN	4.0kW	M/S/R	C	PF/BBC	H595xW500xD250	BRS/BLK/SLV	65%	7 Yr	NG	8
Flavel	Warwick Brass	FIRC14MN	3.3kW	M	C	PF/PCF/BBC	H550xW325xD100	BRS	56%	7 Yr	NG	8
Flavel	Windsor Contemporary	FSRPJOMN	3.3kW	M	P/C/DW	PF/PCF/BBC	H550xW329xD120	SLV/BRS/SLV	56%	7 Yr	NG	9
Flavel	Windsor Contemporary HE	FSHCJOMN	3.2kW	M	C/P	PF/PCF/BBC	H592xW475xD125	SLV/BRS	89%	7 Yr	NG	9
Flavel	Windsor Traditional HE	FSHC11SN	3.2kW	M/S	C	PF/PCF/BBC	H592xW475xD125	BRS/SLV	89%	7 Yr	NG	9
Valor	Blenheim Full Depth	0594151	3.8kW	M	C	PF/BBC	H599xW492xD186	BRS	61%	1 Yr	NG/LPG	10
Valor	Blenheim Slimline	0595606	3.1kW	M	C	PF/PCF/BBC	H585xW450xD115	CHR/BRS/BLK	56%	1 Yr	NG/LPG	10
Valor	Blenheim Slimline Homeflame	0596411	3.1kW	M	C	PF/PCF/BBC	H612xW505xD79	BRS	80%	1 Yr	NG	10
Valor	Dream Balanced Flue	0554161	2.8kW	M	C	BF	H636xW518xD110	BLK/CHR/PGLD	84%	1 Yr	NG	11
Valor	Dream FD Convactor	05740L1	4.0kW	S	C	PF/BBC	H636xW518xD235	PGLD/BLK/CHR	64%	1 Yr	NG/LPG	11
Valor	Dream FD Homeflame	0576101	3.85kW	S	C	PF/BBC	H636xW518xD186	PGLD/BLK/CHR	85%	1 Yr	NG	11
Valor	Dream Slimline Convactor	05750T1	3.3kW	S	C	PF/PCF/BBC	H636xW518xD135	CHR/BLK/PGLD	61%	1 Yr	NG/LPG	12
Valor	Dream Slimline Homeflame	0596321	3.1kW	S	C	PF/PCF/BBC	H636xW518xD79	CHR/BLK/PGLD	80%	1 Yr	NG	12
Valor	Harmony FD Homeflame	0576141	3.85kW	S	C	PF/BBC	H631xW546xD186	BLK/SLV/CHA	85%	1 Yr	NG	12
Valor	Majestic Decorative	0593901	N/A	M	C	PF/BBC	H N/AxW380xD193	BLK	N/A	1 Yr	NG	13
Valor	Petrus FD Homeflame	05961E1	3.85kW	S	C	PF/BBC	H636xW518xD186	BLKCHR/SLVCHR	85%	1 Yr	NG	13
Valor	Petrus Slimline Homeflame	0596341	3.1kW	S	C	PF/PCF/BBC	H636xW518xD79	SLVCHR/BLKCHR	80%	1 Yr	NG	13
Valor	Seattle Slimline	0595603	3.1kW	M	P	PF/PCF/BBC	H588xW450xD115	BRCR	56%	1 Yr	NG/LPG	14
Valor	Blakely Landscape	05762T1	4.3kW	R	C&DW	BBC	H680xW930xD312	BRCR	84%	1 Yr	NG/LPG	14
Valor	Trueflame FD Convactor Full Trim	0594062	4.0kW	S	C	PF/BBC	H621xW522xD235	BRS/CHR	64%	1 Yr	NG/LPG	16
Valor	Trueflame FD Convactor Half Trim	0594092	4.0kW	S	C	PF/BBC	H610xW500xD235	CHR/BRS	64%	1 Yr	NG/LPG	16
Valor	Trueflame FD Homeflame Full Trim	0596142	3.85kW	S	C	PF/BBC	H621xW522xD186	BRS/CHR	85%	1 Yr	NG/LPG	17
Valor	Trueflame FD Homeflame Half Trim	0596172	3.85kW	S	C	PF/BBC	H610xW500xD186	CHR/BRS	85%	1 Yr	NG/LPG	17
Valor Centre	Classica FD Homeflame	05961W1	3.85kW	S	C	PF/BBC	H636xW518xD186	PEW	85%	3 Yr	NG/LPG	19
Valor Centre	Excelsior Balanced Flue	0554115	2.8kW	M	C	BF	H636xW518xD110	PGLD/BNL	84%	3 Yr	NG	19
Valor Centre	Excelsior FD Convactor	0594022	4.0kW	S	C	PF/BBC	H636xW518xD235	PGLD/BNL	64%	3 Yr	NG/LPG	20
Valor Centre	Excelsior FD Homeflame	0596132	3.85kW	S	C	PF/BBC	H636xW518xD186	BNL	85%	3 Yr	NG	20
Valor Centre	Excelsior FD Homeflame	0596122	3.85kW	S	C	PF/BBC	H636xW518xD186	PGLD	85%	3 Yr	NG	20
Valor Centre	Excelsior Slimline Convactor	0595351	3.3kW	S	C	PF/PCF/BBC	H636xW518xD135	BNL	61%	3 Yr	NG/LPG	21
Valor Centre	Excelsior Slimline Convactor	0595341	3.3kW	S	C	PF/PCF/BBC	H636xW518xD135	PGLD	61%	3 Yr	NG/LPG	21
Valor Centre	Excelsior Slimline Homeflame	0596394	3.1kW	S	C	PF/PCF/BBC	H636xW518xD79	PGLD/BNL	80%	3 Yr	NG	21
Valor Centre	Masquerade Balanced Flue	0554114	2.8kW	M	C	BF	H636xW518xD110	BNL/PGLD	84%	3 Yr	NG	22
Valor Centre	Masquerade FD Convactor	0594012	4.0kW	S	C	PF/BBC	H636xW518xD235	BNL	64%	3 Yr	NG/LPG	22
Valor Centre	Masquerade FD Convactor	0594002	4.0kW	S	C	PF/BBC	H636xW518xD235	PGLD	64%	3 Yr	NG/LPG	22
Valor Centre	Masquerade FD Homeflame	0596102	3.85kW	S	C	PF/BBC	H636xW518xD186	PGLD/BNL	85%	3 Yr	NG	23
Valor Centre	Masquerade Slimline Convactor	0595321	3.3kW	S	C	PF/PCF/BBC	H636xW518xD135	PGLD/BNL	61%	3 Yr	NG/LPG	23
Valor Centre	Masquerade Slimline Homeflame	0596393	3.1kW	S	C	PF/PCF/BBC	H636xW518xD79	BNL/PGLD	80%	3 Yr	NG	23
Valor Centre	Inspire 400	05401FSA7B1C3	4.0kW	S/R	L	BBC	H574xW446xD293	BRCR/ANT/BLK/CHR	84.5%	3 Yr	NG	24
Valor Centre	Inspire 500	05500FSA2B1C2	4.0kW	S/R	L	BBC	H574xW446xD268	BRCR/ANT/BLK/CHR	80%	3 Yr	NG	25
Valor Centre	Inspire 600	05600FSA1B1C1	4.0kW	S/R	L	BBC	H470xW646xD294	CHR/ANT/BLK/BRCR	75%	3 Yr	NG	25
Valor Centre	Inspire 800	05800FSA2B2C1	4.6kW	S/R	L	BBC	H470xW846xD294	BRCR/ANT/BLK/CHR	80%	3 Yr	NG	26
Valor Centre	Inspire 1000	05100FSA3B1C1	4.9kW	S/R	L	BBC	H470xW974xD294	ANT/BLK/BRCR/CR	78%	3 Yr	NG	26

Fires Index

Manufacturer	Product Name	Cat No.	Heat Output	Control	Fuel Bed	Flue Req.	Dimensions (mm)	Colour Options	Efficiency	Warranty	Fuel Source	Page No.
Gas												Inspire Suites
Valor Centre	Inspire 400 Atlanta Suite	05401FSABB3C3D9	4.0kW	R/S	L	BBC	H1050xW1220xD380	Turkish Limestone	84.5%	3 Yr	NG	27
Valor Centre	Inspire 400/500 Palermo Suite	05500RCA9B2C2D1	4.0kW	R/S	L	BBC	H1030xW1120xD380	Portuguese Limestone	80%	3 Yr	NG	27
Valor Centre	Inspire 400/500 Vincenza Suite	05500RCA4B3C2D2	4.0kW	R/S	L	BBC	H1030xW1140xD380	Portuguese Limestone	80%	3 Yr	NG	27
Valor Centre	Inspire 600 Napoli Suite	05600RCA9B2C1D3	4.0kW	R/S	L	BBC	H875xW12200xD380	Portuguese Limestone	75%	3 Yr	NG	28
Valor Centre	Inspire 600 Verona Suite	05600RCA4B5C2D4	4.0kW	R/S	L	BBC	H1130xW1220xD380	Portuguese Limestone	75%	3 Yr	NG	28
Valor Centre	Inspire 800 Abruzzo Suite	05800RCA9B3C1D6	4.6kW	R/S	L	BBC	H875xW1350xD380	Portuguese Limestone	80%	3 Yr	NG	29
Valor Centre	Inspire 800 Messina Suite	05800RCA9B3C1D5	4.6kW	R/S	L	BBC	H1030xW1430xD250	Portuguese Limestone	80%	3 Yr	NG	29

Manufacturer	Product Name	Cat No.	Heat Output	Control	Fuel Bed	Flue Req.	Dimensions (mm)	Colour Options	Efficiency	Warranty	Fuel Source	Page No.
Gas												Outset
Flavel	Firenza	FFIRROMN	3.4kW	M	R	PF/PCF/BBC	H658xW506xD222	BRZ/BLK	74%	7 Yr	NG	30
Flavel	Misermatic	FORMTOEN	5.2KW	M	R	PF/PCF/BBC	H615xW800xD200	TEA/MAH/BLK/OAK	84%	7 Yr	NG	30
Flavel	Regent	FRGCNOEN	4.4kW	M	R	PF/PCF/BBC	H680xW710xD255	BLK/BRZ	74%	7 Yr	NG	30
Flavel	Regent LFE	FRLCNORN2	3.2kW	M	C	PF/PCF/BBC	H680xW710xD255	BLK/BRZ	60%	7 Yr	NG	31
Flavel	Renoir	FRECNOEN	4.3kW	M/R	C	PF/PCF/BBC	H703xW684xD324	BLK/BRZ	78%	7 Yr	NG	31
Flavel	Strata	FORSBLEN	5.2kW	M	R	PF/PCF/BBC	H630xW715xD210	BLK/BRN/CRM&WHT	84%	7 Yr	NG	31
Flavel	Welcome	FWERNNOEN	4.4kW	M	R	PF/PCF/BBC	H680xW718xD310	BLK/BRZ	74%	7 Yr	NG	32
RW	Firecharm LFE	A98003	4.4kW	M	C	PF/PCF/BBC	H635xW650xD241	BLK/BRZ	88%	1 Yr	NG	32
RW	Firecharm RS	A99028	3.57kW	M	C	BF	H633xW646xD273	BLK/BRZ	88%	1 Yr	NG	32
RW	Firegem Visa	A85014	4.87kW	M	R	PF/PCF/BBC	H540xW660xD196	BLK&CHR/OLV/BLK&BRS	89%	1 Yr	NG	33
RW	Firegem Visa Deluxe	A86005	4.87kW	M	R	PF/PCF/BBC	H556xW695xD198	TEA	89%	1 Yr	NG	33
RW	Firegem Visa Highline	A85056	4.87kW	M	R	PF/PCF/BBC	H622xW660xD196	BLK&CHR/BLK&BRS/OLV	89%	1 Yr	NG	33
RW	Sahara	A97039	4.78kW	M	R	PF/PCF/BBC	H643xW727xD232	PEW&CHR/PEW&BRS/BRZ	88%	1 Yr	NG	34
RW	Sahara LFE	A97030	4.4kW	M	C	PF/PCF/BBC	H643xW727xD250	BRZ/PEW	88%	1 Yr	NG	34
Valor	Black Beauty Radiant	05347A1	4.0kW	M	R	PF/PCF/BBC	H625xW657xD204	BLK	81%	1 Yr	NG	34
Valor	Black Beauty Slimline	0534101	4.0kW	M	C	PF/PCF/BBC	H655xW657xD247	BLK	88%	1 Yr	NG	35
Valor	Brava Radiant	0534701	4.0kW	M	R	PF/PCF/BBC	H610xW713xD193	TEA	81%	1 Yr	NG	35
Valor	Firelite Radiant	0534761	4.0kW	M	R	PF/PCF/BBC	H633xW620xD205	BLK	81%	1 Yr	NG	35
Valor	Heartbeat	0533901	3.6kW	M	C	PF/PCF/BBC	H643xW632xD212	BLK	78%	1 Yr	NG	36
Valor	Valentia Balanced Flue	0534701	3.57kW	M	C	BF	H633xW646xD273	BLK&CHR	88%	1 Yr	NG	36
Valor Centre	Helmsely Radiant	0534781	4.0kW	M	R	PF/PCF/BBC	H630xW657xD225	BLK	81%	3 Yr	NG	36
Valor Centre	Brunswick Gas Stove	05910X2	4.0kW	M	C	BBC	H630xW390xD440	BLK	81%	3 Yr	NG/LPG	37
Valor Centre	Ridlington Gas Stove (Coal)	05944X1	4.7kW	M	C	BBC	H650xW530xD415	BLK	77%	3 Yr	NG/LPG	37
Valor Centre	Ridlington Gas Stove (Logs)	05944X6	4.7kW	M	L	BBC	H650xW530xD415	BLK	77%	3 Yr	NG	37

Manufacturer	Product Name	Cat No.	Heat Output	Heat Type	Control	Fuel Bed	Flue Req.	Dimensions (mm)	Colour Options	Warranty	Fuel Source	Page No.
ElectricEngines												
Dimplex Opti-myst	Chassis 400 & 600 D&D	ENG600-BR	2.0kW	FH	R	L	N/A	H700xW646xD255	N/A	3 Yr	E	39
Dimplex Opti-myst	Cassette 400 & 600 D&D	CAS600NH	N/A	N/A	R	L	N/A	H171xW564xD216	N/A	3 Yr	E	40
Dimplex Opti-myst	Cassette 500 & 1000 LED D&D	CAS1000	N/A	N/A	R	L&LED	N/A	H240xW1017xD354	N/A	3 Yr	E	40

Manufacturer	Product Name	Cat No.	Heat Output	Heat Type	Control	Fuel Bed	Flue Req.	Dimensions (mm)	Colour Options	Warranty	Fuel Source	Page No.
Electric												Wall Hung
Celsi	Electrifiame Black Glass 1100	EFH11BGRE	1.5kW	FH	R	C/F	N/A	H600xW1100xD126	BGLS	2 Yr	E	41
Celsi	Electrifiame Black Glass 1300	EFH13BGRE	1.5kW	FH	R	C/F	N/A	H600xW1300xD126	BGLS	2 Yr	E	41
Celsi	Electrifiame Piano Black 1100	EFH11PBRE	1.5kW	FH	R	C/F	N/A	H600xW1100xD150	PBLK	2 Yr	E	42
Celsi	Electrifiame Travertine 1100	EFH11TVRE	1.5kW	FH	R	C/F	N/A	H600xW1100xD150	MAR	2 Yr	E	42
Celsi	Electrifiame Travertine 1300	EFH13TVRE	1.5kW	FH	R	C/F	N/A	H600xW1300xD150	MAR	2 Yr	E	42
Celsi	Flamonik Enchant Black Glass	CFECEORE	1.8kW	FH	R	L	N/A	H441xW912xD126	BGLS	2 Yr	E	43
Celsi	Flamonik Rapture Black Glass	CFECRORE	1.8kW	FH	R	C	N/A	H440xW686xD110	BGLS	2 Yr	E	43
Dimplex	Artesia D&D	ART20	2.0kW	FH	R	CR/WP	N/A	H540xW825xD175	BLK	3 Yr	E	43
Dimplex	Bach	BCH20	2.0kW	FH	R	L	N/A	H600xW696xD183	BLK	1 Yr	E	44
Dimplex Optifiame	Belford D&D	BLF50	1.2kW	FH	R	DGP	N/A	H495xW1280xD176	BLK	3 Yr	E	44
Dimplex	Bizet	BZT20N	2.0kW	FH	R	L	N/A	H621xW750xD183	BLK&SLV	1 Yr	E	44
Dimplex Opti-myst	Redway D&D	RDY20	2.0kW	FH	R	L	N/A	H690xW760xD181	HG&ANT	3 Yr	E	45
Dimplex	SP16E	SP16E	2.0kW	FH	R	L	N/A	H525xW1200xD182	BLK	1 Yr	E	45
Dimplex Opti-myst	Tahoe D&D	TAH20	2.0kW	FH	R	L	N/A	H695xW900xD170	BGLS	3 Yr	E	50
Dimplex Opti-V	PGF10 D&D	PGF10	N/A	N/A	R	LCD	N/A	H455xW736xD320	GRA	3 Yr	E	46
Dimplex Opti-V	PGF20 D&D	PGF20	N/A	N/A	R	LCD	N/A	H445xW1356xD320	N/A	3 Yr	E	46

Manufacturer	Product Name	Cat No.	Heat Output	Heat Type	Control	Fuel Bed	Flue Req.	Dimensions (mm)	Colour Options	Warranty	Fuel Source	Page No.
Electric												Inset
Celsi	Electrifiame XD Daisy	EHXDDSRE	1.8kW	FH	R	C&F	N/A	H595xW490xD75	SLV/BLK/BR	2 Yr	E	48
Celsi	Electrifiame XD Royale Black	EHXDNRRE	1.8kW	FH	R	C&F	N/A	H595xW490xD75	BLK/BR/SLV	2 Yr	E	48
Celsi	Electrifiame XD Royale Brass	EHXDRBRE	1.8kW	FH	R	C&F	N/A	H595xW490xD75	BR/SLV/BLK	2 Yr	E	48
Celsi	Lamela XD Brass	EHXDLSRE	2.0kW	FH	R	C&F	N/A	H600xW500xD155	BR&BLK/SLV&BLK	2 Yr	E	49
Dimplex Optiflame	Adagio D&D	ADG20BN	2.0kW	FH	M	C&WP	N/A	H635xW516xD185	BNL/CHR/BR	3 Yr	E	50
Dimplex Optiflame	Aspen	ASP20E	2.0kW	FH	M	C&WP	N/A	H617xW520xD162	SST&BR	1 Yr	E	50
Dimplex Optiflame	Danesbury	DAN20AB	2.0kW	FH	M	C&F	N/A	H620xW518xD170	ABRS/BR/BLK	1 Yr	E	51
Dimplex Optiflame	Delius	DLS20	2.0kW	FH	M	C&WP	N/A	H617xW520xD180	SST	1 Yr	E	51
Dimplex Optiflame	Elda	ELD20E	2.0kW	FH	M	C&WP	N/A	H617xW514xD162	SST	1 Yr	E	51
Dimplex Optiflame	Exbury D&D	EBY15BR	1.0kW	FH	R	C&F	N/A	H583xW519xD204	BR/CHR/ABRS	3 Yr	E	52
Dimplex Optiflame	Freeport D&D	FPT20	2.0kW	FH	M	C&WP	N/A	H617xW520xD180	CHR/BNL	3 Yr	E	52
Dimplex Optiflame	Horton	HTN20BR	2.0kW	FH	M	C&F	N/A	H621xW521xD170	BR/BLK/CHR	1 Yr	E	52
Dimplex Optiflame	Rockport	RKT20	2.0kW	FH	M	C&WP	N/A	H640xW520xD185	CHR	1 Yr	E	53
Dimplex Optiflame	Stamford	STM20	2.0kW	FH	M	C	N/A	H615xW465xD195	BR/CHR	1 Yr	E	53
Dimplex Optiflame	Wynford	WYN20BRE	2.0kW	FH	M	C	N/A	H620xW520xD155	BR/CHR/ABRS	1 Yr	E	53
Dimplex Opti-myst	Crestmore D&D	CRS20	2.0kW	FH	R	C	N/A	H615xW465xD196	BR	3 Yr	E	54
Dimplex Opti-myst	Danville D&D	DNV20AB	2.0kW	FH	R	C	N/A	H620xW520xD231	ABRS/BR/BLK/CHR	3 Yr	E	54
Dimplex Opti-myst	Penngrove D&D	PNN20	2.0kW	FH	R	C	N/A	H615xW465xD196	CHR	3 Yr	E	54
Dimplex Opti-myst	Sacramento D&D	SCR20	2.0kW	FH	R	C	N/A	H620xW520xD220	CHR	3 Yr	E	55
Valor Centre	Alton Slimline Dimension	0585010	1.35kW	FH	R	C	N/A	H612xW505xD70	CHR/BR	3 Yr	E	56
Valor Centre	Bauhaus Slimline Dimension	0585020	1.35kW	FH	R	C	N/A	H612xW505xD70	BR/CHR	3 Yr	E	56
Valor	Blenheim Slimline Dimension	0585050	1.35kW	FH	R	C	N/A	H612xW505xD70	CHR/BR	1 Yr	E	57
Valor Centre	Clifton Slimline Dimension	0585060	1.35kW	FH	R	C	N/A	H612xW505xD70	BR/CHR	3 Yr	E	57
Valor	Downton Slimline Dimension	0585090	1.35kW	FH	R	C	N/A	H612xW505xD70	CHR/BR	1 Yr	E	57
Valor	Dream Slimline Dimension	0585021	1.35kW	FH	R	C	N/A	H636xW518xD70	CHR/BLK/PGLD	1 Yr	E	58
Valor Centre	Excelsior Slimline Dimension	0585052	1.35kW	FH	R	C	N/A	H636xW518xD70	BNL/PGLD	3 Yr	E	58
Valor Centre	Masquerade Slimline Dimension	0585082	1.35kW	FH	R	C	N/A	H636xW518xD70	PGLD/BNL	3 Yr	E	58
Valor Centre	Petrus Slimline Dimension	05850N1	1.35kW	FH	R	C	N/A	H636xW518xD70	SLV&CHR/BLK&CHR	3 Yr	E	59

Manufacturer	Product Name	Cat No.	Heat Output	Heat Type	Control	Fuel Bed	Flue Req.	Dimensions (mm)	Colour Options	Warranty	Fuel Source	Page No.
Electric												Free Standing
Dimplex Opti-V	Cellini D&D	CLL-OV	N/A	N/A	R/V	L	N/A	H705xW420xD360	N/A	3 Yr	E	47
Dimplex Opti-V	Volterra D&D	VLT-OV	N/A	N/A	R/V	L	N/A	H520xW625xD360	N/A	3 Yr	E	47
Dimplex Opti-V	Sunningdale D&D	SNG20	2.0kW	FH	R/V	L	N/A	H660xW630xD440	GRA	3 Yr	E	47
Dimplex Optiflame	Castillo	CST20	2.0kW	FH	M	C&WP	N/A	H665xW603xD226	CHR/SLV	1 Yr	E	59
Dimplex Optiflame	Cheriton	CHT20	2.0kW	FH	M	C&F	N/A	H682xW639xD194	BLK&BR	1 Yr	E	59
Dimplex Optiflame	Detroit	DTT20	2.0kW	FH	M	C&P	N/A	H665xW603xD226	BLK&CHR	1 Yr	E	60
Dimplex Optiflame	Zamora	ZAM20	2.0kW	FH	M	C&P	N/A	H665xW603xD226	BLK&CHR	1 Yr	E	60
Dimplex Opti-myst	Silverton D&D	SVT20	N/A	N/A	R	L	N/A	H305xW710xD355	N/A	3 Yr	E	60

Manufacturer	Product Name	Cat No.	Heat Output	Heat Type	Control	Fuel Bed	Flue Req.	Dimensions (mm)	Colour Options	Warranty	Fuel Source	Page No.
Electric												Stoves
Dimplex Optiflame	Brayford	BFD20N	2.0kW	FH	R	L&F	N/A	H545xW440xD310	BLK	1 Yr	E	61
Dimplex Optiflame	Chevalier	CHV20N	2.0kW	FH	R	L/C&F	N/A	H640xW620xD390	CRM	1 Yr	E	61
Dimplex Optiflame	Club	CLB20E	2.0kW	FH	R	L&F	N/A	H597xW510xD340	BLK	1 Yr	E	61
Dimplex Optiflame	Courchevel	CVL20N	2.0kW	FH	R	L&F	N/A	H597xW510xD340	WHT	1 Yr	E	62
Dimplex Optiflame	Springborne	SBN20E	2.0kW	FH	R	C&F	N/A	H545xW440xD310	BLK	1 Yr	E	62
Dimplex Optiflame	Stockbridge Black	SKG20BLN	2.0kW	FH	R	L/C&F	N/A	H640xW620xD390	BLK	1 Yr	E	62
Dimplex Optiflame	Tango	TNG20R	2.0kW	FH	R	C&F	N/A	H545xW440xD310	BLK	1 Yr	E	63
Dimplex Opti-myst	Auberry D&D	AUB20	2.0kW	FH	R	L	N/A	H620xW480xD300	WHT	3 Yr	E	63
Dimplex Opti-myst	Burgate D&D	BRG20	2.0kW	FH	R	L	N/A	H670xW620xD390	BLK	3 Yr	E	63
Dimplex Opti-myst	Meribel D&D	MRB20	2.0kW	FH	R	L	N/A	H670xW620xD390	CRM	3 Yr	E	64
Dimplex Opti-myst	Oakhurst D&D	OKT20	2.0kW	FH	R	L	N/A	H620xW480xD300	BLK	3 Yr	E	64
Dimplex Opti-myst	Willowbrook D&D	WLL20	2.0kW	FH	R	L	N/A	H580xW440xD280	BLK	3 Yr	E	64
Valor	Glendale Dimension	0585101	1.8kW	FH	R	C	N/A	H623xW484xD303	MATB	1 Yr	E	65

Fires Index

Manufacturer	Product Name	Cat No.	Heat Output	Heat Type	Control	Fuel Bed	Flue Req.	Dimensions (mm)	Colour Options	Warranty	Fuel Source	Page No.
Electric										Suites & Surrounds		
Dimplex	Alameda Suite D&D	ALM20	2.0kW	FH	R	L	N/A	H895xW1075xD330	STO	3 Yr	E	66
Dimplex	Optiflame Chadwick Suite	CDW12WWN	1.2kW	FH	M	L	N/A	H915xW934xD297	STO	1 Yr	E	66
Dimplex	Opti-myst Esme Suite	ESM20	N/A	N/A	R	L	N/A	H686xW1168xD305	WHT	1 Yr	E	66
Dimplex	Optiflame Figaro Suite D&D	FGA15	1.5kW	FH	R	L&F	N/A	H750xW700xD260	OAK	3 Yr	E	67
Dimplex	Opti-myst Moorefield Suite D&D	MFD20	2.0kW	FH	R	L	N/A	H870xW920xD315	STO	3 Yr	E	67
Dimplex	Optiflame Mini Mozart Suite D&D	MMZ15	1.5kW	FH	R	L&F	N/A	H750xW700xD260	STO&DMAR	3 Yr	E	67
Dimplex	Optiflame Mozart Suite	MZT20	2.0kW	FH	M	L&F	N/A	H857xW920xD375	STO&DMAR	1 Yr	E	68
Dimplex	Opti-myst Talia Suite	TAL20	2.0kW	FH	R	L	N/A	H808xW1320xD381	WHT	1 Yr	E	68
Dimplex	Ashmore Surround	GDS1	N/A	N/A	N/A	N/A	N/A	H1120xW1200xD402	MAH&CRM	1 Yr	OSE	69
Dimplex	Holwell Surround	GDS1A	N/A	N/A	N/A	N/A	N/A	H1120xW1200xD402	MAP&BLK	1 Yr	OSE	69
Dimplex	Rockbourne Surround	GDS3	N/A	N/A	N/A	N/A	N/A	H1080xW1200xD350	STO	1 Yr	OSE	69

Manufacturer	Product Name	Cat No.	Heat Output	Control	Fuel Bed	Flue Req.	Dimensions (mm)	Colour Options	Efficiency	Warranty	Fuel Source	Page No.
Solid Fuel										Stoves		
Dimplex	Bellingham 5SE	BLM5SE	5.0kW / 4.9kW	N/A	N/A	T/R/BBC	H596xW466xD368	BLK	84.8% / 85%	10 Yr	L/S	71
Dimplex	Bellingham 8	BLM8	8kW / 8.3kW	N/A	N/A	T/R/BBC	H616xW565xD369	BLK	80% / 79.6%	10 Yr	L/S	71
Dimplex	Bellingham 12SE	BLM12SE	11.6kW / 11.5kW	N/A	N/A	T/R/BBC	H696xW680xD384	BLK	74.8% / 74%	10 Yr	L/S	71
Dimplex	Bellingham Inset	BLM4ISE	4.7kW / 4.6kW	N/A	N/A	T/BBC	H600xW540xD302	BLK	81.8% / 72.8%	10 Yr	L/S	72
Dimplex	Langbrook 5SE	LBK5SE	5.0kW	N/A	N/A	T/R/BBC	H600xW530xD368	BLK	77% / 78.40%	10 Yr	L/S	72
Dimplex	Westcott Inset	WST4I	4.3kW / 3.9kW	N/A	N/A	T/BBC	H598xW538xD375	BLK	80.9% / 75%	10 Yr	L/S	72
Dimplex	Westcott 5	WST5	5.0kW / 5.3kW	N/A	N/A	T/R/BBC	H540xW434xD336	BLK	79.7% / 75.3%	10 Yr	L/S	73
Dimplex	Westcott 5SE	WST5SE	4.9kW	N/A	N/A	T/BBC	H540xW434xD448	BLK	72%	10 Yr	L	73
Dimplex	Westcott 8	WST8	8.0kW / 8.1kW	N/A	N/A	T/R/BBC	H554xW564xD309	BLK	76.6% / 70.2%	10 Yr	L/S	73
Dimplex	Westcott 12	WST12	12.1kW / 12.2kW	N/A	N/A	T/R/BBC	H640xW670xD356	BLK	73% / 71%	10 Yr	L/S	74
Flavel	Arundel Multi Fuel Stove	FCMSB	4.9kW / 4.8kW	N/A	N/A	T/R/BBC/PF	H580xW430xD332	BLK	76.3% / 78.4%	2 Yr	L/S	74
Flavel	CV05 Multi Fuel Stove	FN1MFB	5.0kW	N/A	N/A	T/R/BBC	H588xW414xD295	BLK	75%+	5 Yr	L/C/P	74
Flavel	CV07 Multi Fuel Stove	FN2MFB	7.0kW	N/A	N/A	T/R/BBC	H588xW524xD295	BLK	75%+	5 Yr	L/C/P	75
Flavel	SQ05 Multi Fuel Stove	FN1MFBT	5.0kW	N/A	N/A	T/R/BBC	H588xW414xD295	BLK	75%+	5 Yr	L/C/P	75
Flavel	SQ07 Multi Fuel Stove	FN2MFBT	7.0kW	N/A	N/A	T/R/BBC	H588xW524xD295	BLK	75%+	5 Yr	L/C/P	75
Flavel	Rochester 5 Multi Fuel Stove	FCSSB5	4.9kW	N/A	N/A	T/R/BBC	H638xW430xD326	BLK	78.5%	2 Yr	L/C/P	76
Flavel	Rochester 7 Multi Fuel Stove	FCSSB	6.8kW	N/A	N/A	T/R/BBC	H638xW532xD326	BLK	74%	2 Yr	L/C/P	76
Valor	Baltimore	0591331	12.0kW	N/A	N/A	T/R/BBC	H675xW634xD411	BLK	76%	1 Yr	L/C/P	76
Valor	Brunswick	0591031	5.0kW	N/A	N/A	T/R/BBC	H630xW390xD440	BLK	79%	1 Yr	L/C/P	77
Valor	Ridlington	0594431	8.0kW	N/A	N/A	T/R/BBC	H630xW530xD415	BLK	79%	1 Yr	L/C/P	77

Fires Index										Abbreviations		
Key	Colour	Key	Colour	Key	Controls	Key	Fuel Bed	Key	Fuel Source / Heat Type	Key	Requirements	
Colour Options		Control Options		Fuel Bed Options		Fuel Source / Heat Type		Flue Requirements				
ABRS	Antique Brass	GRA	Graphite	E	Easy Flame	C	Coals	C	Coals	BBC	Brick Built Chimney	
ANT	Anthracite	HG	High Gloss	M	Manual	DGP	Decorative Glass Pieces	E	Electric	BF	Balanced Flue	
BLK	Black	MAH	Mahogany	R	Remote	DW	Driftwood	FH	Fan Heater	PCF	Pre Cast Flue	
BGLS	Black Glass	MAP	Maple	S	Slide	F	Flames	G	Gas	PF	Prefabricated Flue	
BNL	Black Nickel	MAR	Marble			E	Embers	L	Logs	R	Rear Flue	
BRN	Brown	MATB	Matt Black			L	Logs	LPG	Liquefied Petroleum Gas	T	Top Flue	
BRS	Brass	OAK	Oak			LCD	LCD Screen	NG	Natural Gas			
BRZ	Bronze	OLV	Olive			L&GLB	Logs & Glowing Light Bed	P	Peat			
BRCR	Brushed Chrome	PBLK	Plano Black			L&LED	LED Log Bed	OSE	Only Suitable for Electric			
BRSL	Brushed Steel	PGLD	Pale Gold			MS	Mixed Stones	S	Smokeless			
CHA	Champagne	PEW	Pewter			P	Pebbles					
CHR	Chrome	POLC	Polished Chrome			R	Radiant					
CIR	Cast Iron	SLV	Silver			WP	White Pebbles					
CRM	Cream	STO	Stone			CR	Crystals					
DGCI	Dark Grey Cast Iron	SST	Stainless Steel									
DMAR	Dark Marble	TEA	Teak									
GOSB	Gloss Black	WHT	White							N/A	Not Applicable	

NOTES

[illegible]

Fires Notes

[illegible]

STEARN

Additional Heating Solutions



WE SUPPLY A LARGE RANGE OF LEADING BRANDS SUCH AS;

 **CONSORT
CLAUDGEN**

 **Creda**

 **DEVI**

 **DeLonghi**

 **Dimplex**

 **HEAT
outdoors**

 **kudox**

 **MYSON**

 **Siroflow**

 **Sunhouse**

 **NOBO
HEATING**

 **TANSUN**

OUR HEATING RANGE INCLUDES;

- Convector Heaters
- Halogen Heaters
- Patio Heaters
- Radiant Heaters
- Tubular Heaters
- Downflow Heaters
- Multi Purpose Heaters
- Panel Heaters
- Towel Rails
- Storage Heaters
- Fan Heaters
- Oil Filled Radiators
- Plinth Heaters
- Towel Warmers
- Underfloor Heating

ALSO AVAILABLE, A FULL SELECTION OF COMMERCIAL HEATING SOLUTIONS!

• Next Day Delivery

• Best Prices

• Ex-stock on Key Brands

• Knowledgeable Staff

• No Minimum Order

• 14 UK Locations

STEARN

The Fires Specialist

Proud to be a member of...

EDA ELECTRICAL
DISTRIBUTORS
ASSOCIATION

GLASGOW

Unit 2 Jubilee Court, Montrose Avenue
Hillington Park, Glasgow, G52 4LB
TEL: 0141 810 4000
FAX: 0141 810 4010
e-mail: glasgow@stearn.co.uk

IRELAND

Unit 13
Duncrue Industrial Estate
Belfast
BT3 9BW
TEL 1: 02890 771 506
TEL 2: 02890 771 465
FAX: 02890 772 481
e-mail: belfast@stearn.co.uk

MANCHESTER

Unit 4, Coronet Way
Centenary Park
Salford M50 1RE
TEL: 0161 707 5151
FAX 1: 0161 707 6644
FAX 2: 0161 707 1882
e-mail: manchester@stearn.co.uk

LIVERPOOL

Unit 1, Olympic Way
(Off Park Lane)
Sefton Business Park
Bootle, Merseyside L30 1RD
TEL: 0151 525 6525
FAX: 0151 525 6526
e-mail: liverpool@stearn.co.uk

WEST MIDLANDS

Unit 3, Parkway
Leabrook Road North
Wednesbury
West Midlands WS10 7WJ
TEL: 0121 530 5550
FAX: 0121 530 5551
e-mail: west.midlands@stearn.co.uk

BRISTOL

Tower Lane
Warmley
Bristol BS30 8XT
TEL: 0117 961 4291
FAX 1: 0117 960 5182
FAX 2: 0117 961 0876
e-mail: bristol@stearn.co.uk

EXETER

Unit 4, Westwoods
Alphinbrook Road
Marsh Barton Trading Estate
Exeter, EX2 8QF
TEL: 01392 411330
FAX: 01392 412841
e-mail: exeter@stearn.co.uk

SOUTHAMPTON

Unit 8
Waterloo Industrial Estate
Hedge End
Southampton SO30 2QT
TEL: 01489 797770
FAX: 01489 797370
e-mail: southampton@stearn.co.uk

LONDON SOUTH

Main Road
St. Paul's Cray
Orpington
BR5 3HP
TEL: 01689 877772
FAX: 01689 832128
e-mail: london.south@stearn.co.uk

NEWCASTLE

Unit 2 & 3, Queensway Court
Queensway North, TVTE
Gateshead NE11 0NX
TEL: 0191 482 5151
FAX: 0191 482 3923
e-mail: newcastle@stearn.co.uk

LEEDS

Unit 1, Wakefield Road
Gildersome
Leeds, LS27 7HJ
TEL: 0113 281 0999
FAX: 0113 281 0998
e-mail: leeds@stearn.co.uk

NOTTINGHAM

Parkway House
Glaisdale Parkway
Glaisdale Industrial Estate
Bilborough
Nottingham NG8 4GP
TEL: 0115 928 7508
FAX: 0115 928 9018
e-mail: nottingham@stearn.co.uk

LEIGHTON BUZZARD

Chiltern Trading Estate
Grovebury Road
Leighton Buzzard
LU7 4TU
TEL: 01525 376798
FAX: 01525 384539
e-mail: leighton_buzzard@stearn.co.uk

LONDON NORTH

Unit 3, The Arena
Mollison Avenue
Enfield, EN3 7NL
TEL: 020 8344 9580
FAX: 020 8805 2706
e-mail: london.north@stearn.co.uk



DISTRIBUTED BY



Scan the code above with a QR
enabled device to get access to
all of Stearn's current publications.

Most QR Readers are free and
available from your App Provider.